

## DESCRIPTION


<b>Species Reactivity</b>	Human
<b>Specificity</b>	Detects human CD82/Kai-1. Stains human CD82/Kai-1 transfectants but not irrelevant transfectants.
<b>Source</b>	Monoclonal Mouse IgG <sub>1</sub> Clone # 423524
<b>Purification</b>	Protein A or G purified from hybridoma culture supernatant
<b>Immunogen</b>	NS0 mouse myeloma cell line transfected with human CD82/Kai-1 Met1-Tyr267 Accession # AAH01821
<b>Conjugate</b>	Allophycocyanin Excitation Wavelength: 620-650 nm Emission Wavelength: 660-670 nm
<b>Formulation</b>	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details.  *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

## APPLICATIONS

**Please Note:** Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
<b>Flow Cytometry</b>	10 $\mu$ L/10 <sup>6</sup> cells	See Below

## DATA



## PREPARATION AND STORAGE

<b>Shipping</b>	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
<b>Stability &amp; Storage</b>	<b>Protect from light. Do not freeze.</b> <ul style="list-style-type: none"> <li>12 months from date of receipt, 2 to 8 °C as supplied.</li> </ul>

## BACKGROUND

CD82, also known as KA11, C33 and TSPAN27, is a widely expressed palmitoylated molecule in the tetraspanin superfamily. CD82 is synthesized as a 28 kDa core protein with mature molecular weights ranging up to 70 kDa due to variable glycosylation. CD82 functions as a suppressor of metastasis and is down-regulated in many malignant tumors. It associates with IGSF8, DARC, the ganglioside GM2, and the HTLV-1 Gag protein. CD82 inhibits cell migration and metastasis by preventing integrin maturation and blocking integrin interactions with Met. Human CD82 shares 76% aa sequence identity with mouse and rat CD82.