

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human TSPAN8 in Western blots.
Source	Monoclonal Rat IgG _{2B} Clone # 458811
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	NS0 mouse myeloma cell line transfected with human TSPAN8 Met1-Lys237 (Ile35Val) Accession # AAH05246
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 µg/10 ⁶ cells	HT-29 human colon adenocarcinoma cell line

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. ● 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

Tetraspanin-8 (TSPAN8), also known as TM4SF3 and human tumor-associated antigen CO-0029, is a member of the transmembrane 4 superfamily. It is a cell surface 27-34 kDa glycoprotein with 4 transmembrane segments, and a large extracellular loop (LEL) domain from amino acids (aa) 106-206. Both the N- and C-termini are intracellular. TSPAN8 is expressed by multiple tumor types as well as smooth and skeletal muscle cells, endothelial cells, hematopoietic progenitor cells and non-keratinized squamous epithelium. As with other TSPAN family molecules, TSPAN8 acts as an organizer of microdomains in membranes. Molecules that may be found in these domains include CD151 (another TSPAN family member), β1 Integrins, Integrin α4β6, EpCAM, and CD13. TSPAN8 would appear to remove Integrins from the cell surface, facilitating cell motility which, in the case of tumor cells, results in metastasis. TSPAN8 shares 53% aa sequence identity with both mouse and rat TSPAN8.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.