

Human Integrin $\beta 8$ Alexa Fluor® 350-conjugated Antibody

Monoclonal Mouse IgG_{2B} Clone # 416922

Catalog Number: FAB4775U

100 μ g

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Integrin $\beta 8$ in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant human Integrins $\beta 1$, $\beta 2$, $\beta 3$, $\beta 4$, $\beta 5$, $\beta 6$, $\beta 7$, or recombinant mouse Integrin $\beta 8$ is observed.
Source	Monoclonal Mouse IgG _{2B} Clone # 416922
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant human Integrin $\beta 8$ Glu43-Arg684 (predicted) Accession # P26012
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 μ g/10 ⁶ cells	A172 human glioblastoma cell line

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

Integrin beta 8 (Integrin $\beta 8$) is a 90 kDa type I transmembrane glycoprotein of the Integrin family of adhesion molecules. It associates with Integrin αV to form a receptor for vitronectin, fibrin, and the latency associated peptide (LAP). Binding to LAP promotes the proteolytic release of active TGF- β from LAP. Integrin $\alpha V\beta 8$ is required for vascular morphogenesis in the embryonic brain and yolk sac. Within the extracellular domain, human Integrin $\beta 8$ shares 87% aa sequence identity with mouse and rat Integrin $\beta 8$.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.