

DESCRIPTION


Species Reactivity	Mouse
Specificity	Detects mouse CD81. Stains mouse CD81 transfectants but not irrelevant transfectants.
Source	Monoclonal Rat IgG _{2A} Clone # 431301
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	NS0 mouse myeloma cell line transfected with mouse CD81 Met1-Tyr236 Accession # NP_598416
Conjugate	Fluorescein Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm (FITC)
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Flow Cytometry	10 μ L/10 ⁶ cells	See Below

DATA



PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. ● 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

CD81, also known as TAPA-1 and Tspan28, is a widely expressed protein in the Tetraspanin family. CD81 is a multifunctional protein that interacts with a variety of other molecules, including Tetraspanins, and is important for organization of the plasma membrane into microdomains. CD81 facilitates B cell and T cell activation and is an integrin-binding adhesion molecule. CD81 expression on dendritic cells has been suggested to play a negative modulating role in certain bacterial infections such as listeria. Here, CD81 blocks Rac activation, leading to reduced postinfection survival. Mouse CD81 shares 92%–94% aa sequence identity with human and rat CD81.