

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Protein S/PROS1 in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant human Protein S is observed.
Source	Monoclonal Rat IgG _{2A} Clone # 818002
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Chinese hamster ovary cell line CHO-derived recombinant mouse Protein S/PROS1 Met1-Arg669 Accession # Q08761
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Protein S (PROS1) is a 70-75 kDa plasma glycoprotein member of the vitamin K dependent family of proteins. It is synthesized by hepatocytes, Sertoli cells, macrophages, vascular smooth muscle cells and endothelium. Protein S is a non-enzymatic cofactor for activated protein C and participates in the degradation of coagulation factors FVa and FVIIIa. It also binds to Axl on smooth muscle, likely initiating mitosis. Protein S circulates free in plasma and, unlike Protein S in human and rat, does not complex with C4BP. Mouse Protein S precursor is 675 amino acids (aa) in length. It contains a signal sequence (aa 1-24), a cleavable prosegment (aa 25-41) and a 634 aa mature region. The mature molecule contains one Gla region (aa 42-87), four EGF-like domains (aa 117-283) and two laminin G-like regions (aa 299-665). Over aa 1-169 of the mature molecule, mouse Protein S shares 80% and 88% aa identity with human and rat Protein S, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.