

## Human Integrin α1/CD49a Alexa Fluor® 750-conjugated Antibody

Monoclonal Rabbit IgG Clone # 1090A Catalog Number: FAB56761S

100 µg

DESCRIPTION			
Species Reactivity	Human		
Specificity	Detects Integrin α1/CD49a in direct ELISAs.		
Source	Monoclonal Rabbit IgG Clone # 1090A		
Purification	Protein A or G purified from cell culture supernatant		
Immunogen	Chinese hamster ovary cell line CHO derived recombinant human Integrin α1β1 Met1-Pro1141 (Integrin α1) & Gln21-Asp728 (Integrin β1) Accession # P56199		
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm		
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details.		
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.		

	CAT	

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 μg/10 <sup>6</sup> cells	HeLa human cervical epithelial carcinoma cell line

## PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze.

12 months from date of receipt, 2 to 8 °C as supplied.

## BACKGROUND

Integrin α1 (also VLA-1, CD49a and Laminin and Collagen Receptor) is a 190-210 kDa member of the integrin alpha chain family of molecules. It is found on smooth muscle cells, osteoblasts, adipocytes and intestinal epithelium. Integrin α1 forms a noncovalent heterodimer with Integrin β1, and serves as a divalent-cation dependent receptor for collagen types I, IV, VI, XIII and XVI. It also binds the diarrhea-associated NSP4 enterotoxin of rotavirus. Mature human Integrin α1 is a 1151 amino acid (aa) type I transmembrane glycoprotein that contains a 1113 aa extracellular domain (ECD) and a 15 aa cytoplasmic tail. The ECD contains one vWFA/I-domain (aa 147-360) that binds collagen, plus multiple divalent cation binding sites. Potential splice variants exist that show a two and four aa substitution for aa 765-1179. Over aa 29-1141 (the ECD), human Integrin α1 shares 88% aa identity with mouse Integrin α1.

## PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

