

DESCRIPTION

Species Reactivity	Human/Mouse/Rat
Specificity	Detects human p130Cas in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant human Ajuba is observed.
Source	Monoclonal Mouse IgG ₁ Clone # 685718
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human p130Cas Met66-Val412 Accession # P56945
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

p130Cas (protein 130 kDa Crk-associated substrate; also BCAR1) is a cytoplasmic member of the CAS family of proteins. Although its predicted MW is 93 kDa, it runs anomalously at 105-130 kDa in SDS-PAGE. It is found in a wide variety of cell types. p130Cas is involved in cell spreading and migration (but not adhesion), and its cleavage into a 31 kDa fragment promotes anoikis and cell death. Human p130Cas is 870 amino acids (aa) in length. It contains one SH3 domain (aa 3-65), a Pro-rich region (aa 74-87), at least 10 phosphotyrosine (aa 128-410) and four phosphoserine (aa 134-639) sites, an SH3 binding motif (aa 635-643) and a HLH dimerization segment that interacts with CASL. There are multiple splice variants. There is a 22 aa substitution for aa 1-4, an alternate start site at Met30, a deletion of aa 2-211, and a four aa substitution for aa 1-4 with a deletion of aa 65-212. Over aa 66-412, human p130Cas shares 91% aa identity with mouse p130Cas.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.