

Human ENPP-3/CD203c Alexa Fluor® 488-conjugated Antibody

Monoclonal Mouse IgG₁ Clone # NP4D6

Catalog Number: FAB5756G

_	•	_	_	_
1	0	0	Ļ	ıg

Species Reactivity	Human	
Species Reactivity	nullali	
Specificity	Detects human ENPP-3/CD203c.	
Source	Monoclonal Mouse IgG ₁ Clone # NP4D6	
Purification	Protein A or G purified from hybridoma culture supernatant	
Immunogen	HEK293 human embryonic kidney cell line transfected with human ENPP-3/CD203c Accession # O14638	
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm	
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the S (SDS) for additional information and handling instructions.		

PLIC.	

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website

Recommended Concentration Flow Cytometry 0.25-1 µg/10 ⁶ cells Human whole blood lymphocytes and monocytes	1 loads Note: Opinital analogie disolated by outer habitatory for outer application. Software recorded in the recommend in the recommend in the recommendation of our website.		
Flow Cytometry 0.25-1 ug/10 ⁶ cells Human whole blood lymphocytes and monocytes		•	
110 Stementy 0.20 Fpg/10 Conc Trainian Whole Block lymphocytes and menocytes	Flow Cytometry 0.25-1 μg	/10 ⁶ cells Human whole blood lymphocytes and monocytes	

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below

Stability & Storage Protect from light. Do not freeze.

12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

CD203c is a 150 kDa type II transmembrane glycoprotein with a short cytoplasmic tail. CD203c is also known as ectonucleotide pyrophosphatase/phosphodiesterase 3 (ENPP-3) and modulates purinergic signaling by hydrolysis of nucleotide triphosphates. CD203c is expressed on activated basophils and mast cells during allergic reactions, cardiac muscle, hepatocytes, and epithelial cells. It is upregulated in colon and bile duct carcinomas. Within the ECD, human CD203c shares 81% aa sequence identity with mouse and rat CD203.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

