

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human NFATC3 in direct ELISAs.
Source	Monoclonal Mouse IgG _{2B} Clone # 646115
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human NFATC3 Asp900-Asp1035 Accession # Q12968
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

NFATC3 (Nuclear factor of activated T cells C3; also NFAT4 and NFATx) is a 145-150 kDa member of the NFAT family of transcription factors. NFATC3 is widely expressed being found in DP thymocytes, CD4⁺ T cells, smooth muscle cells, Schwann cells and mast cells. NFATC3 regulates gene transcription as part of a NFATC transcription complex. It is normally cytoplasmic and phosphorylated. Upon a rise in intracellular Ca²⁺, dephosphorylation occurs via calcineurin, and NFATC3 enters the nucleus. Human NFATC3 is 1075 amino acids (aa) in length. It contains a calcineurin binding site (aa 109-114), two NLSs (aa 273-275 and 686-688), one NES (aa 1032-1041) and an RHD that binds DNA (aa 433-592). There are multiple isoforms. Thirty amino acid, 33 aa and 10 aa substitutions for aa 1036-1075 are known that may be accompanied by an alternate start site at Met480. Over aa 900-1035, human NFATC3 shares 93% aa identity with mouse NFATC3.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.