

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human APRIL/TNFSF13 in direct ELISAs. In direct ELISAs, approximately 10% cross-reactivity with recombinant mouse APRIL is observed, and no cross-reactivity with recombinant human BAFF is observed.
Source	Monoclonal Mouse IgG ₁ Clone # 670820
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Human embryonic kidney cell line HEK293-derived recombinant human APRIL/TNFSF13 Ala105-Leu250 Accession # O75888
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Neutralization Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

APRIL (a proliferation inducing ligand), also known as TNFSF13, TALL2, and TRDL1, is a member of the TNF ligand superfamily. It is synthesized as a 32 kDa type II transmembrane protein which is cleaved by furin in the Golgi to release a 17 kDa soluble molecule. Secreted APRIL consists almost entirely of a single TNF homology domain. Little or no transmembrane APRIL is expressed on the cell surface. Alternate splicing generates isoforms with short deletions at the N- or C-terminus. Both APRIL and the closely related protein BAFF signal through the TNF superfamily receptors TACI and BCMA to promote cellular proliferation and protect from apoptosis. APRIL can form bioactive heterotrimers with BAFF. A bioactive cell surface-expressed protein known as TWEPRIL consists of the intracellular domain, transmembrane segment, and stalk region of TWEAK fused to the TNF homology domain of APRIL. Human APRIL shares 85% amino acid sequence identity with mouse and rat APRIL.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.