

DESCRIPTION

Species Reactivity	Human/Mouse
Specificity	Detects human and mouse CBL in Western blots.
Source	Monoclonal Mouse IgG _{2A} Clone # 648005
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human CBL Asp775-Thr906 Accession # P22681
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

CBL (Lake Casitas, California mouse B-lineage Lymphoma; also RING finger protein 55) is a 120-125 kDa cytosolic member of the CBL family of proteins. It is widely expressed, being found in cells such as fibroblasts, adipocytes, osteoclasts, podocytes and mammary epithelium. CBL negatively regulates RTK signaling by acting as an E3 ubiquitin ligase. Following activation via phosphorylation, CBL will interact with multiple signaling molecules such as Src, ZAP-70, EGFR and SHP1. Human CBL is 906 amino acids (aa) in length. It contains an N-terminal phosphoTyr-binding region that consists of one α -helix bundle, an EF hand segment, and an SH2 domain (aa 47-342), a RING finger domain that interacts with E2 enzymes (aa 381-423) a Pro-rich SH3 domain (aa 477-688), and a Leu-zipper/Ubiquitin-associated region (aa 861-892). There is one potential alternative start site at Met55. Over aa 775-906, human CBL shares 91% aa identity with mouse CBL.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.