

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human UCH-L1/PGP9.5 in direct ELISAs and Western blots. In direct ELISAs and Western blots, no cross-reactivity with recombinant human UCH-L3 is observed.
Source	Monoclonal Mouse IgG _{2A} Clone # 671108
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human UCH-L1/PGP9.5 Gln2-Ala223 Accession # P09936
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Knockout Validated	Optimal dilution of this antibody should be experimentally determined.
Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.
Immunoprecipitation	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

UCH-L1 (ubiquitin carboxyterminal hydrolase isozyme 1; also PGP9.5) is a 24-27 kDa member of the peptidase C12 family of enzymes. It shows restricted expression, being found in neurons and oocytes. UCH-L1 has dual enzymatic activity. As a monomer, it is a ubiquitin hydrolase that removes ubiquitin from modified proteins; as a homodimer, it acts as a ligase that creates ubiquitin dimers. In neurons, UCH-L1's most important role appears to be that of generating free ubiquitin. Human UCH-L1 is 223 amino acids (aa) in length. It is O-glycosylated, ubiquitinated, and farnesylated; when farnesylated, it becomes associated with cell membranes. Three potential splice forms are reported. One shows a two aa substitution for aa 12-15, a second contains an alternative start site at Met82, and a third shows the same start site coupled with a deletion of aa 138-153. Full-length human UCH-L1 shares 95% aa identity with mouse UCH-L1.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.