

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Copeptin in Western blots.
Source	Monoclonal Mouse IgG ₁ Clone # 579021
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Peptide corresponding to the human Copeptin precursor Ala126-Gly140 Accession # P01185
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Copeptin is a 39 amino acid glycosylated peptide that is a proteolytic product derived from a precursor which also contains Vasopressin and Neurophysin 2 peptides. The precursor protein is synthesized and cleaved in the hypothalamus before transport to the pituitary for storage and release. Copeptin is secreted in equimolar amounts with Vasopressin. It is more stable than Vasopressin and serves as a surrogate indicator of Vasopressin release. Vasopressin plays a major role in blood pressure regulation through control of water retention in the kidney and vascular tone. Serum levels of Copeptin are associated with metabolic syndrome, insulin resistance, sepsis, and heart dysfunction following myocardial infarction. Human Copeptin shares 79% sequence identity with mouse and rat Copeptin.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.