

DESCRIPTION

Species Reactivity	Human
Specificity	Recognizes human RARRES3 in Western blots and direct ELISAs. In Western blots and direct ELISAs, no cross-reactivity with recombinant human (rh) RARRES1 or rhLatexin is observed.
Source	Monoclonal Mouse IgG _{2B} Clone # 659209
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human RARRES3 Asp12-Lys134 Accession # Q9UL19
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Immunocytochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

RARRES3 (retinoic acid receptor responder 3), also called Tig3 (tazarotene-induced gene 3) or RIG1 (retinoid-inducible gene 1), is an 18 kDa, 164 amino acid (aa) cytoplasmic protein within the LRAT (lecithin retinol acyltransferase) family of growth inhibitory proteins, which are class II tumor-suppressors. RARRES3 is expressed in a variety of cells including epidermal keratinocytes, and may be downregulated in tumor cells and cell lines. It shows phospholipase activity and interaction with type I transglutaminase. A C-terminal hydrophobic region allows perinuclear localization. RARRES3 is not structurally related to other RARRES genes. A canine ortholog shares 72% aa identity within the region used as an immunogen; orthologs are unlikely in rodents.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.