

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse TSPAN8 in direct ELISAs.
Source	Monoclonal Rat IgG _{2B} Clone # 657909
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	CHO Chinese hamster ovary cell line transfected with mouse TSPAN8
Conjugate	Allophycocyanin Excitation Wavelength: 620-650 nm Emission Wavelength: 660-670 nm
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details.


*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 µg/10 ⁶ cells	See Below

DATA



PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. <ul style="list-style-type: none"> 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

Tetraspanin-8 (TSPAN8), also known as TM4SF3 and human tumor-associated antigen CO-0029, is a member of the transmembrane 4 (tetraspanin) superfamily. It is a cell surface 27 - 34 kDa protein with intracellular N- and C-termini, 4 transmembrane segments and a large extracellular loop (LEL) domain from aa 106-206. TSPAN8 is involved in integrin-mediated cell motility, metastasis, cell proliferation and differentiation, and is over-expressed in carcinomas including hepatocellular carcinoma and colon cancer. Polymorphisms have variably been associated with type II diabetes, bipolar disorder and schizophrenia. Human TSPAN8 shares 70% aa sequence identity with mouse and rat TSPAN8.