

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Aldo-keto Reductase 1C1/AKR1C1 in ELISAs and Western blots. In direct ELISAs, less than 5% cross-reactivity with recombinant human (rh) Aldo-keto Reductase 1C3 and 1C4 is observed.
Source	Monoclonal Mouse IgG ₁ Clone # 859026
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human Aldo-keto Reductase 1C1/AKR1C1 Met1-Tyr323 Accession # Q04828
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

AKR1C1 (20- α -hydroxysteroid dehydrogenase, 20- α -HSD) is a member of aldo-keto reductase (AKR) superfamily. AKRs perform the NAD(P)H-dependent reduction of carbonyl groups (1). Four AKR1C isoforms (AKR1C1-C4) are known to exist in humans. They are all highly expressed in the liver. Three isoforms, excluding AKR1C4, have a wider expression pattern including prostate, testes, uterus, mammary gland, and haemopoietic progenitors (2). These enzymes are able to accept various natural steroids as substrates, including 3-, 7-, and 20-ketosteroids (3). They can also activate prodrugs such as synthetic steroid hormone tibolone by converting it into active 3 α / β -hydroxy form (4). They are recognized as phase I drug-metabolizing enzymes involved in the maintenance of steroid homeostasis, prostaglandin metabolism, and metabolic activation of polycyclic aromatic hydrocarbons (5). Their reactions introduce a hydroxyl group into the product making it available for sulfonation and glucuronidation by phase II enzyme. Elevated expression of these enzymes is related to cancer with hormone-dependent malignancies (6, 7). Increased levels of expression of AKR1C1 parallels increased cell proliferation activity in human colon cancer cells. It has been shown to be associated with oncogenic potential and proproliferative effects. It is also involved in cancer cell chemoresistance.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.