

DESCRIPTION

Species Reactivity	Rat
Specificity	Detects rat μ Opioid R/OPRM1 in direct ELISAs.
Source	Monoclonal Mouse IgG _{2A} Clone # 677014
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Synthetic peptide corresponding to His385-Pro398 of rat μ Opioid R/OPRM1 Accession # P33535
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the *Technical Information* section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

The μ -type opioid receptor (MOR), also known as OPRM1, is a 60-70 kDa variably glycosylated G protein-coupled receptor that mediates the biological effects of many alkaloid and peptide opioids including morphine. MOR is primarily expressed on neurons in the brain, spinal cord, and gastrointestinal tract as well as on immune cells. MOR activation induces analgesia, euphoria, sedation, respiratory depression, and reduced intestinal motility. Following agonist binding, MOR is phosphorylated and internalized which contributes to opioid tolerance and desensitization. OPRM1 can form heterodimers with several other 7TM GPCRs including the delta-type Opioid Receptor (DOR), Nociceptin/Orphanin Receptor (ORL1), Neurokinin 1 Receptor (NK1), Somatostatin Receptor 2 (SSTR2), Cannabinoid Receptor 1, CCR5, and the α 2A-Adrenergic Receptor (ADRA2A). Rat MOR shares 94% and 98% aa sequence identity with human and mouse MOR, respectively.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.