

#### DESCRIPTION


<b>Species Reactivity</b>	Cotton Rat
<b>Specificity</b>	Detects cotton rat CD8 $\alpha$ in direct ELISAs.
<b>Source</b>	Monoclonal Mouse IgG <sub>2A</sub> Clone # JG12
<b>Purification</b>	Protein A or G purified from hybridoma culture supernatant
<b>Immunogen</b>	NIH-3T3 mouse embryonic fibroblast cell line transfected with cotton rat CD8 $\alpha$ and SP2/O mouse melanoma cell line transfected with cotton rat CD8 $\alpha$ . Accession # AAL55392
<b>Conjugate</b>	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
<b>Formulation</b>	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details.  *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

#### APPLICATIONS

**Please Note:** Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the [Technical Information](#) section on our website.

	<b>Recommended Concentration</b>	<b>Sample</b>
<b>Flow Cytometry</b>	5 $\mu$ L/10 <sup>6</sup> cells	See Below

#### DATA



#### PREPARATION AND STORAGE

<b>Shipping</b>	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
<b>Stability &amp; Storage</b>	<b>Protect from light. Do not freeze.</b> <ul style="list-style-type: none"> <li>12 months from date of receipt, 2 to 8 °C as supplied.</li> </ul>

#### BACKGROUND

CD8 alpha (CD8 $\alpha$ ; also OX8, Leu-2 and Lyt-2) is a 23 kDa (predicted) member of the Ig superfamily of molecules. It is found on immature thymocytes, cytotoxic and suppressor T cells, select mast cells, and splenic and bone marrow dendritic cells (in rodent). On T cells, CD8 $\alpha$  exists as either a disulfide linked homodimer, or heterodimer bound to CD8 $\beta$ . CD8 $\alpha\beta$  is best known as a coreceptor for the TCR, enhancing TCR signaling. CD8 $\alpha$  serves a different function and acts as a TCR coreceptor that blocks T cell activation. Based on rat, mature *Sigmodon hispidus*/cotton rat CD8 $\alpha$  is a 210 amino acid (aa) type I transmembrane protein that consists of a 161 aa extracellular region (aa 24-184) with one V-type Ig-like domain (aa 35-135), and a 30 aa cytoplasmic tail (aa 206-235). Although *Sigmodon hispidus* is called a rat, it is not. It is a rodent, and rat CD8 $\alpha$  is the closest ortholog to cotton rat CD8 $\alpha$  currently reported. Over the extracellular region, rat and cotton rat CD8 $\alpha$  share only 54% aa identity. Rat CD8 $\alpha$  runs at 34-39 kDa in SDS-Page, and possesses one utilized N-linked and O-linked glycosylation site (vs. no N-linked sites in cotton rat CD8 $\alpha$ ). Based on this organization, and assuming O-linked glycosylation, cotton rat CD8 $\alpha$  would be expected to run at about 30-34 kDa in SDS-PAGE. Over aa 24-182, cotton rat CD8 $\alpha$  shares 54% and 48% aa identity with rat and mouse CD8 $\alpha$ , respectively.

# Cotton Rat CD8 $\alpha$ Alexa Fluor® 488-conjugated Antibody

Monoclonal Mouse IgG<sub>2A</sub> Clone # JG12

Catalog Number: FAB7080G  
100 TESTS

## PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.