

DESCRIPTION

Species Reactivity	Mouse/Rat
Specificity	Detects mouse and rat SIGNR3/CD209d in Western blots. In Western blots, 100% cross-reactivity with recombinant mouse (rm) SIGNR1, 50% cross-reactivity with rmSIGNR7, and no cross-reactivity with rmSIGNR4 is observed. In direct ELISAs, no cross-reactivity
Source	Monoclonal Rat IgG _{2A} Clone # 728804
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse SIGNR3/CD209d Glu82-Lys237 Accession # Q91ZW8
Conjugate	Alexa Fluor 750 Excitation Wavelength: 749 nm Emission Wavelength: 775 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

SIGNR3 (designated CD209d) is a 237 amino acid (aa), ~34 kDa type II transmembrane glycoprotein that is one of several mouse orthologs of human DC-SIGN (CD209). SIGNR3 is a calcium-binding C-type lectin that is expressed on myeloid mononuclear cells and a subpopulation of dendritic cells in the dermis, blood, and most lymphoid organs. Like human DC-SIGN, SIGNR3 recognizes high-mannose and fucose-terminated glycans and protects against pathogens such as *Candida albicans* and *Mycobacterium tuberculosis*. Within the region used as an immunogen, mouse and rat SIGNR3 share 91% aa sequence identity. A 207 aa isoform lacks aa 45-74, which includes the transmembrane domain.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.