

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Angiopoietin-3 in direct ELISA and Western blots. In Western blots, less than 1% cross-reactivity with recombinant human (rh) Angiopoietin-1, rhAngiopoietin-2, rhAngiopoietin-like factor, and rhAngiopoietin-4 is observed.
Source	Monoclonal Rat IgG _{2B} Clone # 113504
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant mouse Angiopoietin-3
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.

Stability & Storage Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Mouse Angiopoietin-3 (ANG-3) (1), is a secreted glycoprotein belonging to the angiopoietin family. It has the characteristic structural motifs of angiopoietins including the coiled-coiled domain near the amino-terminus and a fibrinogen-like domain at the C-terminus. Mouse ANG-3 cDNA encodes a 509 amino acid (aa) precursor protein with a 21 aa signal peptide. It shares 47%, 46% and 54% aa sequence identity with mouse ANG-1, mouse ANG-2 and human ANG-4, respectively. Although the sequence homology is much higher between the human and mouse counterparts for ANG-1 (97%) and ANG-2 (85%), mouse ANG-3 is believed to be an ortholog of human ANG-4 based on chromosomal localization studies (1, 2). Human ANG-4 is highly expressed in lung and in cultured human umbilical vein endothelial cells (HUVECs). In contrast, mouse ANG-3 is expressed in multiple mouse tissues. Human ANG-4 is an agonist that can bind and activate Tie-2, a receptor tyrosine kinase with immunoglobulin and epidermal growth factor homology domains expressed primarily on endothelial cells and early hematopoietic cells (2, 3). Mouse ANG-3 has been reported to be a Tie-2 antagonist. It is likely that mouse ANG-3, like ANG-2, may exert agonist or antagonist activities depending on the cell context (1, 3, 4).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.