Human CLEC14A PE-conjugated Antibody

Monoclonal Mouse IgG_{2B} Clone # 743940

Catalog Number: FAB7436P
100 TESTS

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human CLEC14A in direct ELISAs.
Source	Monoclonal Mouse IgG_{2B} Clone # 743940
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant human CLEC14A Glu22-Ala397 Accession # Q86T13
Conjugate	Phycoerythrin Excitation Wavelength: 488 nm Emission Wavelength: 565-605 nm
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: *Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.*

	Recommended Concentration	Sample
Flow Cytometry	10 µL/10^6 cells	See Below

DATA

Flow Cytometry



Detection of CLEC14A in Human Umbilical Vein Endothelial Cells by Flow Cytometry. Human umbilical vein endothelial cells were stained with Mouse Anti-Human CLEC14A PE-conjugated Monoclonal Antibody (Catalog # FAB7436P, filled histogram) or isotype control antibody (Catalog # IC0041P, open histogram). View our protocol for Staining Membrane-associated Proteins.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	**Protect from light. Do not freeze.** • 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

CLEC14A (C-type lectin domain family 14 member A; also called EGFR5) is a 51 kDa (predicted) member of the C-type lectin domain family of proteins. It is a type I transmembrane protein, apparently expressed in brain and about which little is known. Mature human CLEC14A is 469 amino acids in length. It contains a 376 aa extracellular region (aa 22-397) and a 72 aa cytoplasmic domain. The extracellular region shows one C-type lectin like domain (aa 32-175) and an EGF-like region (aa 245-287). Over aa 22-397, human CLEC14A shares 66% and 81% aa identity with mouse and canine CLEC14A, respectively.

bio-techne
bio-techne.com
Global info@bio-techne.com techsupport@bio-techne.com
North America TEL 800 343 7475 Europe | Middle East | Africa TEL +44 (0)1235 529449
China info.cn@bio-techne.com TEL +86 (21) 52380373
Rest of World bio-techne.com/find-us/distributors TEL +1 612 379 2956