

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human EVI-1 in direct ELISAs.
Source	Monoclonal Mouse IgG _{2B} Clone # 702319
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human EVI-1 Gly241-Met430 Accession # Q03112
Conjugate	Alexa Fluor 532 Excitation Wavelength: 534 nm Emission Wavelength: 553 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide
*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.	

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Ectopic virus integration site 1 (EVI1), also known as MECOM, is a 145 kDa is a transcriptional regulator that interacts with GATA2 and histone methyltransferases. EVI1 contains 7 tandem N-terminal zinc finger regions (aa 21-239), a central region, and a cluster of 3 more zinc fingers (aa 733-812). Longer isoforms have 189 aa or 64 aa N-terminal extensions. EVI1 target genes are critical to hematopoietic stem cell proliferation and myeloid differentiation. EVI1 is overexpressed in acute myelogenous leukemia (AML) as well as ovarian cancer. Chromosomal translocations fuse EVI1 with RUNX1 and RPN1 contribute to chromosomal instability, myeloid leukemia proliferation, and a block in myeloid differentiation. Within aa 241-430, human EVI1 shares 94% aa sequence identity with mouse and rat EVI1.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.