

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human COMMD1 in direct ELISAs. In direct ELISAs, no cross-reactivity with recombinant human (rh) Attractin or rhCaspr1 is observed.
Source	Monoclonal Mouse IgG _{2B} Clone # 762203
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant human COMMD1 Ser37-Ser135 Accession # Q8N668
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunocytochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

COMMD1, also known as MURR1 and the copper toxicosis gene product, is a ubiquitously expressed 21 kDa copper binding protein. It contains an N-terminal domain (aa 1-121) and C-terminal domain (aa 125-190) which are separated by a protease sensitive site. It forms high molecular weight oligomeric complexes both in solution and in association with phospholipid membranes. COMMD1 is found in the nucleus and cytoplasm as well as in endocytic vesicle membrane fractions. It binds and regulates the activity of a variety of proteins including the copper transporter Wilson disease protein (ATP7B), the delta ENaC epithelial cell sodium channel, the cystic fibrosis transmembrane regulator (CFTR), superoxide dismutase 1 (SOD1), XIAP, HIF-1 alpha, and Cullin RING ubiquitin ligases. COMMD1 promotes the ubiquitination and degradation of the RelA subunit of NFκB, thereby inhibiting its chromatin association and nuclear targeting as well as the replication of HIV in resting T cells. Within aa 37-135, human COMMD1 shares 94% aa sequence identity with mouse and rat COMMD1.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.