

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse IL-1 R1 in direct ELISAs and Western blots.
Source	Monoclonal Rat IgG _{2B} Clone # 129304
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse IL-1 RI Leu20-Lys338 Accession # P13504
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Flow Cytometry	0.25-1 µg/10 ⁶ cells	Mouse B220 ⁺ splenocytes

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. <ul style="list-style-type: none"> 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

The type I IL-1 receptor (IL-1 RI, designated IL-1 R1 and CD121a) is one of at least nine members of the IL-1 R family within the Toll/IL-1 R (TIR) superfamily. IL-1 RI is an ~80 kDa type I transmembrane (TM) protein that binds the pleiotropic cytokines IL-1 α and IL-1 β , plus the IL-1 receptor antagonist (IL-1 Ra). Signal transduction requires complex formation with the IL-1 R accessory protein (IL-1 R AcP/IL-1 R3), another type I TM protein. This complex recruits the adaptor protein MyD88 to initiate signaling in the NF κ B pathway. Mouse IL-1 RI cDNA encodes a 576 amino acid (aa) protein that contains a 19 aa signal sequence, a 319 aa extracellular domain (ECD) with three C2-type Ig-like domains, a 21 aa TM domain and a 217 aa cytoplasmic region with a TIR domain. Mouse IL-1 RI shares 64%, 83%, 60%, 61% and 55% aa identity with human, rat, canine, equine and bovine IL-1 RI, respectively. The role of IL-1 in inflammation is under several levels of control, including expression and activation of IL-1 α and IL-1 β , expression of IL-1 RI and its accessory and adaptor proteins, and negative regulators such as the IL-receptor family member, IL-1RII/IL-1R2. IL-1 RI is expressed predominantly by T cells, fibroblasts, and endothelial cells and mediates acute phase inflammatory responses including fever.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc. and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.