

Human Integrin α6β1 Heterodimer Alexa Fluor[®] 594-conjugated Antibody

Recombinant Monoclonal Rabbit IgG Clone # 2548B Catalog Number: FAB7809T

DESCRIPTION			
Species Reactivity	Human		
Specificity	Detects human Integrin α6β1 in direct ELISAs. In direct ELISA, less than 1% of cross reactivity with recombinant human (rh) Integrin β1 and recombinant mouse (rm) Integrin α6 is observed. In direct ELISA, no cross-reactivity with rhIntegrin α3, β2, β3, β5, β6, β7, and rmIntegrin β1 is observed.		
Source	Recombinant Monoclonal Rabbit IgG Clone # 2548B		
Purification	Protein A or G purified from hybridoma culture supernatant		
Immunogen	Chinese Hamster Ovary cell line, CHO-derived Human Integrin α6β1 heterodimer Phe24-Ser1012(Integrin alpha 6) and Gln21-Asp728 (Integrin beta1) Accession # NP_000201		
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm		
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide.		
	*Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet		

APPLICATIONS			
Please Note: Optimal diluti	ons should be determined by each laboratory for each applicat	ion. General Protocols are available in the Technical Information section on our website.	
	Recommended Concentration	Sample	
Flow Cytometry	0.25-1 μg/10 ⁶ cells	Human PBMC	
PREPARATION AND S	TORAGE		
Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.		
Stability & Storage	Protect from light Do not freeze		

BACKGROUND

Integrin α6β1, also called platelet glycoprotein GPIc-IIa, is a laminin binding integrin that is expressed on T cells, monocytes, endothelial cells, stem cells, and platelets (1-9). The non-covalent heterodimer is composed of ~150 kDa α6/CD49f and 130 kDa β1/CD29 type I transmembrane glycoprotein subunits (2). While α6 pairs only with \$1 or \$4, twelve integrins share the \$1 subunit (1-5). The a6 subunit is cleaved into extracellular heavy and transmembrane light chains (3). Alternative splicing in the human a6 extracellular domain (ECD) at amino acid (aa) 216 creates X1 (ubiquitous), X2 and X1X2 isoforms, while splicing at a mouse or human cytoplasmic site creates A and B isoforms (10, 11). These forms do not appear to alter the binding specificity (4, 10, 11). The β1 ECD contains a vWFA domain, which participates in binding. Each subunit then has a transmembrane sequence and a short cytoplasmic tail. The dimer is folded when it is least active. Divalent cations and intracellular (inside-out) signaling convert it to its most active, extended and open conformation (1, 2). The human α6 (X1) heavy chain shares 94-95% aa identity with mouse, rat, bovine, and canine α6, and the human β1 ECD shares 92-96% aa sequence identity with rat, bovine, mouse, and feline β1. α6β1 shows broad specificity for adhesion to laminin isoforms (4, 10). Its expression on human and mouse pluripotent stem cells is important for attachment, expansion, and self-renewal on LN-511 (laminin α₅ β₁γ₁) (6, 7). The secreted protein Netrin-4 and the laminin γ₁ subunit form an adhesion-activating complex with α6β1 on mouse neural stem cells and human lymphatic endothelial cells that promotes lymphangiogenesis (8, 9). α6β1 up-regulation on cancers such as prostate, glioma, and hepatoma is reported to enhance tumorigenicity, motility, invasion and metastasis (12-14). α6β1 cleavage via uPA (urokinase-type plasminogen activator) facilitates tumorigenicity in prostate cancers, and interaction of hepatoma α6β1 with EMMPRIN/CD147 may also enhance tumorigenicity by inducing uPA and other metalloproteinases (12, 13).

References:

- 1. Takada, Y. et al. (2007) Genome Biol. 8:215.
- 2. Luo, B-H. et al. (2007) Annu. Rev. Immunol. 25:619.
- 3. Tamura, R.N. et al. (1990) J. Cell Biol. 111:1593
- 4. Nishiuchi, R. et al. (2006) Matrix Biol. 25:189.
- 5. Sonnenberg, A. and C.J.T. Linders (1990) J. Cell Science 96:207.

(SDS) for additional information and handling instructions

• 12 months from date of receipt, 2 to 8 °C as supplied

- 6. Rodin, S. et al. (2010) Nat. Biotech. 28:611.
- 7. Domogatskaya A. et al. (2008) Stem Cells 26:2800.
- 8. Staquicini, F.I. et al. (2009) Proc. Natl. Acad. Sci. USA 106:2903.
- 9. Larrieu-Lahargue, F. et al. (2011) Circ. Res. 109:770.
- 10. Delwel, G. O. et al. (1995) Cell Adhes, Commun. 3:143
- 11. Hogervorst, F. et al. (1993) J. Cell Biol. 121:179.
- 12. Sroka, I.C. et al. (2011) Mol. Cancer Res. 9:1319.
- 13. Dai, J.Y. et al. (2009) BMC Cancer 9:337
- 14. Delamarre, E. et al. (2009) Am. J. Pathol. 175:844

Rev. 4/22/2020 Page 1 of 2



Global bio-techne.com info@bio-techne.com techsupport@bio-techne.com TEL +1 612 379 2956 USA TEL 800 343 7475 Canada TEL 855 668 8722 China TEL +86 (21) 52380373 Europe | Middle East | Africa TEL +44 (0)1235 529449



Human Integrin α6β1 Heterodimer Alexa Fluor® 594-conjugated Antibody

Recombinant Monoclonal Rabbit IgG Clone # 2548B Catalog Number: FAB7809T 100 µg

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.

Rev. 4/22/2020 Page 2 of 2



Global bio-techne.com info@bio-techne.com techsupport@bio-techne.com TEL +1 612 379 2956 USA TEL 800 343 7475 Canada TEL 855 668 8722 China TEL +86 (21) 52380373 Europe | Middle East | Africa TEL +44 (0)1235 529449