

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human Matrilin-1 in ELISAs. In direct ELISAs, no cross-reactivity with recombinant human Matrilin-2, -3, or -4 is observed.
Source	Monoclonal Mouse IgG ₁ Clone # 828806
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Chinese hamster ovary cell line CHO-derived recombinant human Matrilin-1 Ser23-Val496 Accession # P21941
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Immunocytochemistry Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Matrilin-1, also known as Cartilage Matrix Protein (CMP) is a 50-60 kDa extracellular matrix protein that belongs to the superfamily of von Willebrand factor A (VWA) containing proteins. It is primarily expressed in cartilage and functions as a bridging component between proteins of the collagenous matrix. Mature human Matrilin-1 contains two VWA domains that flank one EGF-like repeat, followed by a C-terminal coiled coil domain. The Matrilins differ in the number of VWA domains (one or two) and EGF-like repeats (one, three, four, or ten) they contain. Human Matrilin-1 shares 91% aa sequence identity with human and rat Matrilin-1. The coiled coil domain of Matrilin-1 mediates disulfide-linked homo-trimer formation. It can also assemble into hetero-oligomers with Matrilin-2, -3, and -4.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.