

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Intelectin-1/Omentin in ELISA. In direct ELISAs, no significant cross-reactivity with recombinant mouse Intelectin-2 and recombinant human Intelectin-1 is observed.
Source	Monoclonal Rat IgG _{2A} Clone # 746420
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	<i>E. coli</i> -derived recombinant mouse Intelectin-1/Omentin Ala20-Ser298 Accession # O88310
Conjugate	Alexa Fluor 350 Excitation Wavelength: 346 nm Emission Wavelength: 442 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Western Blot	Optimal dilution of this antibody should be experimentally determined.
Immunohistochemistry	Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

Intelectin (endothelial lectin; also ITLN-1 and omentin) is a 34 kDa Ca-dependent galactofuranose-binding lectin that is not a C-type lectin. It is expressed in intestinal and airway epithelium and appears to participate in insulin signaling and microbe recognition. Intelectin-1 is upregulated in asthma and contributes to allergic airway inflammation. The mouse Intelectin-1 preproprecursor is 313 amino acids (aa) in length. It contains a 19 aa signal sequence, a 279 aa mature segment (aa 20-298), and a 15 aa C-terminal proregion that is cleaved to generate a GPI-linkage. Soluble Intelectin-1 can be released from omental adipose tissue and malignant pleural mesothelioma. One fibrinogen-related domain exists in the mature molecule (aa 32-251). Human Intelectin-1 exists as a disulfide-linked glycosylated homotrimer; mouse is unglycosylated and a monomer. Mature mouse Intelectin-1 is 82% aa identical to human Intelectin-1.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc., and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.