

DESCRIPTION


Species Reactivity	Human
Specificity	Detects human MMP-14/MT1-MMP in direct ELISAs and Western blots. Does not detect <i>E. coli</i> -expressed recombinant human MMP-14 catalytic domain (aa 112-284).
Source	Monoclonal Mouse IgG _{2B} Clone # 128527
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant human MMP-14/MT1-MMP Tyr112-Ala541 (predicted) Accession # P50281
Conjugate	Alexa Fluor 700 Excitation Wavelength: 675-700 nm Emission Wavelength: 723 nm
Formulation	Supplied in a saline solution containing BSA and Sodium Azide. See Certificate of Analysis for details. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Flow Cytometry	5 µL/10 ⁶ cells	See Below

DATA



PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. <ul style="list-style-type: none"> ● 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

MMP-14/MT1-MMP (Matrix Metalloproteinase 14) is a member of the peptidase M10A family of enzymes. As such, it is one of some 25 zinc-dependent endopeptidases that are either soluble or membrane-bound. MMP-14 is expressed as a 63-64 kDa precursor that undergoes processing to generate either a 60 kDa catalytically-active transmembrane form, or a 55 kDa active soluble form. A number of substrates are reported for MMP-14, including Collagen I, II, and III, Laminin, Endoglin, Muc-1, Pro-MMP-13 and -2, and CD44. Molecules suggested to inhibit MMP-14 include TIMP-2, -3, and -4. Cells known to express MMP-14 include monocytes, platelets, osteoclasts, endothelial cells, fibroblasts, and muscle satellite cells. Over amino acids (aa) 112-284, human MMP-14 shares 98% aa sequence identity with mouse MMP-14.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.