

Human TACE/ADAM17 Ectodomain Alexa Fluor® 488-conjugated Antibody

Monoclonal Mouse IgG₁ Clone # 111633 Catalog Number: FAB9301G

100 µg


| DESCRIPTION | | | |
|--------------------|--|--|--|
| Species Reactivity | Human | | |
| Specificity | Detects the ectodomain of human TACE/ADAM17 in direct ELISAs and Western blots. In direct ELISAs, less than 5% cross-reactivity with th ectodomain of recombinant human ADAM8, 9, 15 and recombinant mouse ADAM10 is observed. | | |
| Source | Monoclonal Mouse IgG ₁ Clone # 111633 | | |
| Purification | Protein A or G purified from hybridoma culture supernatant | | |
| Immunogen | Insect ovarian cell line <i>T. ni-</i> derived recombinant human TACE/ADAM17 Pro18-Asn671 Accession # P78536 | | |
| Conjugate | Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm | | |
| Formulation | Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. | | |
| | *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions. | | |

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. General Protocols are available in the Technical Information section on our website.

| 1 Todas Note: Opinhal alliaboris strong by Cash application. Contract Policies are available in the Political Information Control Website. | | | |
|--|---------------------------------|------------|--|
| | Recommended Concentration | Sample | |
| Flow Cytometry | 0.25-1 μg/10 ⁶ cells | Human PBMC | |

DATA



Detection of TACE/ADAM17 in Human PBMC by Flow Cytometry. Human PBMC were stained with (A) Mouse Anti-Human TACE/ADAM17 Ectodomain Alexa Fluor® 488-conjugated Monoclonal Antibody (Catalog # FAB9301G) or (B) Mouse IgG1 isotype control antibody (Catalog # IC002G) and Mouse anti-Human CD14 PerCP-conjugated Monoclonal Antibody (Catalog # FAB3832C). View our protocol for Staining Membrane-associated Proteins.

PREPARATION AND STORAGE

Shipping The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below

Stability & Storage

Protect from light. Do not freeze.

• 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

TACE is a member of the ADAM family that contains A Disintegrin And Metalloprotease-like domain. Like other membrane-anchored ADAMs, TACE consists of a pro domain with a cysteine switch and furin cleavage sequence, a catalytic domain with the zinc-binding site and Met-turn expected for reprolysins, a disintegrin-like domain, a cysteine-rich domain, an EGF-like domain, a transmembrane domain, and the cytoplasmic domain. In addition to its ability to release the 17 kDa extracellular form of Tumor Necrosis Factor-α (TNF-α) from the 26 kDa membrane-anchored TNF-α, TACE also plays an essential role in shedding ectodomains from a variety of proteins such as L-Selectin, Transforming Growth Factor-α, Amyloid Protein Precursor, and Notch-1 receptor. TACE mRNA is present in virtually every tissue and TACE protein resides both on the cell surface and in the cell.

References:

- Black, R.A. and J.D. Becherer (1998) in Tumor Necrosis Factor α-Converting Enzyme. Barrett, A.J. et al. (eds): Handbook of Proteolytic Enzymes, San Diego: Academic Press, p. 1315.
- 2. Primakoff, P. and D.G. Myles (2000) Trends in Genetics 16:83.

Rev. 5/9/2022 Page 1 of 2





Human TACE/ADAM17 Ectodomain Alexa Fluor® 488-conjugated Antibody

Monoclonal Mouse IgG₁ Clone # 111633 Catalog Number: FAB9301G

100 µg

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.



