

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse 4-1BB in direct ELISAs.
Source	Recombinant Monoclonal Rat IgG _{2B} Clone # 158306R
Purification	Protein A or G purified from cell culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse 4-1BB Val24-Leu187 Accession # P20334
Conjugate	Alexa Fluor 488 Excitation Wavelength: 488 nm Emission Wavelength: 515-545 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

Blockade of Receptor-ligand Interaction Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

4-1BB, also known as CD137 and ILA (induced by lymphocyte activation), is a TNF receptor superfamily member and has been designated TNFRSF9. Mouse 4-1BB cDNA encodes a 256 amino acid (aa) residues type I transmembrane protein with a putative 23 aa signal peptide, a 164 aa extracellular domain, a 21 aa transmembrane domain and a 48 aa cytoplasmic region (1-3). A soluble 4-1BB is released from surfaces of cells expressing the transmembrane protein (4). Mouse 4-1BB shares approximately 60% aa sequence identity with its human counterpart. 4-1BB is expressed on activated CD4⁺ and CD8⁺ T cells, thymocytes, and NK cells. It is also expressed on monocytes, neutrophils, DCs and eosinophils (5). The ligand for 4-1BB (4-1BBL), also named TNFSF9, belongs to the TNF ligand superfamily. 4-1BBL is predominantly expressed on activated antigen presenting cells (APCs) such as B cells, macrophages and dendritic cells (DCs). It is also expressed on most T and B lymphoma cell lines. In response to 4-1BBL binding, 4-1BB transduce a T cell costimulatory signal in both CD4⁺ and CD8⁺ T cells to promote survival and enhance proliferation, cytokine production and effector function. *In vivo*, the costimulatory activity of 4-1BB has been shown to be important in graft-vs-host disease and antiviral CTL responses. On dendritic cells, 4-1BB is a DC-activating molecules that enhances cytokine production and upregulates expression of B7-1 and B7-2 costimulatory molecules, resulting in an improved ability to stimulate T cell responses (1-5).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.