

DESCRIPTION

Species Reactivity	Mouse
Specificity	Detects mouse Fibroblast Activation Protein α /FAP in direct ELISAs.
Source	Monoclonal Rat IgG ₁ Clone # 983810
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Mouse myeloma cell line NS0-derived recombinant mouse Fibroblast Activation Protein α /FAP Leu26-Asp761 Accession # P97321
Conjugate	Alexa Fluor 594 Excitation Wavelength: 590 nm Emission Wavelength: 617 nm
Formulation	Supplied 0.2mg/ml in 1X PBS with RDF1 and 0.09% Sodium Azide *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. [General Protocols](#) are available in the Technical Information section on our website.

ELISA Optimal dilution of this antibody should be experimentally determined.

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. 12 months from date of receipt, 2 to 8 °C as supplied

BACKGROUND

FAP (also known as Seprase) is a 95 kDa Type II transmembrane serine protease that is structurally related to dipeptidyl peptidase IV (DPPIV/CD26) (1, 2). Within the extracellular domain, mouse FAP shares 90% and 97% amino acid (aa) sequence identity with human and rat FAP, respectively (3, 4). Alternative splicing of mouse FAP generates isoforms with a 33 aa or 5 aa deletion in the extracellular juxtamembrane region (3). FAP is expressed on reactive stromal fibroblasts in tumor tissue and wound healing and on synoviocytes in rheumatoid arthritis (1, 5-7). It exhibits dipeptidyl peptidase activity with substrate specificity similar to DPPIV, which is specific for N-terminal Xaa-Pro sequences (5, 8). FAP is also an endopeptidase that can degrade Gelatin, Collagens I and IV, Fibronectin, and Laminin (1, 5, 8) as well as several peptide hormones (e.g. Neuropeptide Y, Brain Natriuretic Peptide, Substance P, Peptide YY, and Incretins) (9). The enzymatic activity is dependent on FAP association with DPPIV on the cell surface (5, 8, 10, 11). The matrix-degrading activity of FAP contributes to tumor cell migration and invasion (10-13). In addition, FAP can enhance tumor cell growth by limiting the development of anti-tumor immunity (14).

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.