

DESCRIPTION

Species Reactivity	Human
Specificity	Detects human HIST3H3 in Western blots.
Source	Recombinant Monoclonal Rabbit IgG Clone # 2128A
Purification	Protein A or G purified from hybridoma culture supernatant
Immunogen	Human HIST3H3 synthetic peptide
Conjugate	Alexa Fluor 647 Excitation Wavelength: 650 nm Emission Wavelength: 668 nm
Formulation	Supplied 0.2 mg/mL in a saline solution containing BSA and Sodium Azide. *Contains <0.1% Sodium Azide, which is not hazardous at this concentration according to GHS classifications. Refer to the Safety Data Sheet (SDS) for additional information and handling instructions.

APPLICATIONS

Please Note: Optimal dilutions should be determined by each laboratory for each application. *General Protocols* are available in the *Technical Information* section on our website.

	Recommended Concentration	Sample
Intracellular Staining by Flow Cytometry	0.25-1 µg/10 ⁶ cells	HeLa Human Cell Line fixed and permeabilized with FlowX FoxP3 Fixation & Permeabilization Buffer Kit (Catalog # FC012)

PREPARATION AND STORAGE

Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at the temperature recommended below.
Stability & Storage	Protect from light. Do not freeze. <ul style="list-style-type: none"> 12 months from date of receipt, 2 to 8 °C as supplied.

BACKGROUND

Histones are alkaline proteins which organize nuclear DNA into nucleosomes. Histone H3 is one of four core histones, which exist as dimers to form an octameric histone core. Epigenetic modification of the exposed histone tails by methylation or acetylation is known to regulate transcription in various ways and is known to affect the etiology of a variety of cancers and developmental defects. Methylation by methyltransferases mediates transcriptional activation (SET1, Chd1), elongation (MLL, WDR5) or silencing (SET7/9, JMJD2A). Expression of H3K4 methyltransferases have been associated with solid tumors such as prostate, ovary, squamous cell carcinoma, hepatocellular carcinoma and cancers of the blood, including T-cell acute lymphoblastic leukemia, acute myeloid leukemia, acute lymphoblastic leukemia, and others.

PRODUCT SPECIFIC NOTICES

This product is provided under an agreement between Life Technologies Corporation and R&D Systems, Inc, and the manufacture, use, sale or import of this product is subject to one or more US patents and corresponding non-US equivalents, owned by Life Technologies Corporation and its affiliates. The purchase of this product conveys to the buyer the non-transferable right to use the purchased amount of the product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components (1) in manufacturing; (2) to provide a service, information, or data to an unaffiliated third party for payment; (3) for therapeutic, diagnostic or prophylactic purposes; (4) to resell, sell, or otherwise transfer this product or its components to any third party, or for any other commercial purpose. Life Technologies Corporation will not assert a claim against the buyer of the infringement of the above patents based on the manufacture, use or sale of a commercial product developed in research by the buyer in which this product or its components was employed, provided that neither this product nor any of its components was used in the manufacture of such product. For information on purchasing a license to this product for purposes other than research, contact Life Technologies Corporation, Cell Analysis Business Unit, Business Development, 29851 Willow Creek Road, Eugene, OR 97402, Tel: (541) 465-8300. Fax: (541) 335-0354.