

Anti-human/mouse Glucagon-NL557

Catalog Number: NL1249R Lot Number: AAWT02 100 Tests in 50 μL staining volume 20 Tests in 250 μL staining volume

Reagents Provided

NorthernLights™ 557 (NL557)-conjugated mouse monoclonal anti-human/mouse Glucagon: Supplied as a 10X solution of antibody in 0.5 mL PBS containing 0.1% sodium azide.

Clone #: 181402 Isotype: mouse IgG_{2A}

Storage

Reagents are stable for **twelve months** from date of receipt when stored in the dark at 2° - 8° C.


Intended Use

Designed to visualize the expression of human/mouse Glucagon by fluorescence microscopy.

Product Description

This antibody was produced from a hybridoma elicited from a mouse immunized with purified human Glucagon. The IgG fraction of the tissue culture supernatant was purified by Protein G affinity chromatography. The purified antibody was then conjugated to fluorochrome NL557. The spectral characteristics of NL557 are provided, along with those of Rhodamine Red™-X (RRX) and Cy™3 for comparison.

Fluorochrome	Absorption Maximum (nm)	Emission Maximum (nm)
NL557	557	574
RRX	570	590
Cy3	548	562



Human/mouse Glucagon-NL557

Beta TC6 cells were stained with NL557-conjugated anti-human/mouse Glucagon (Catalog # NL1249R, red) and counterstained with DAPI (blue).

Background Information

Glucagon is a 29 amino acid residue pancreatic peptide hormone. It stimulates gluconeogenesis and glycogenolysis to counter the glucose-lowering action of insulin.

Immunocytochemistry Validation

This antibody has been tested for immunocytochemistry using Beta TC6 cells. Cells were fixed in PBS containing 4% paraformaldehyde, and blocked with PBS containing 10% normal donkey serum, 0.1% Triton® X-100, and 1% BSA. After blocking, cells were incubated with NL557-conjugated antibody at a final concentration of 1X (1:10 dilution) in blocking buffer for 3 hours in the dark. Between each step, cells were washed with PBS containing BSA. If a staining volume of 250 μL is used, this kit can be used for 20 tests; 100 tests can be done in a staining volume of 50 μL .

Warning: Contains sodium azide as a preservative - sodium azide may react with lead and copper plumbing to form explosive metal azides. Flush with large volumes of water during disposal.

FOR RESEARCH USE ONLY. NOT FOR USE IN HUMANS.