

Product Name: Methylcellulose Stock Solution Reviewed on: 07/18/2023

1. Identification of Substance:

• Other means of identification: Catalog Number: HSC001

• GHS product identifier: Methylcellulose Stock Solution

Application of the substance / the preparation: N/A

Manufacturer/Supplier:

Bio-Techne - R&D Systems Inc. 614 McKinley Place N.E. Minneapolis, MN 55413 USA

1-800-343-7475

• For product related questions call: 1-800-343-7475. In Europe call: +44(0)1235-529449.

■ Emergency information: In case of a chemical emergency, spill, fire, or exposure, call R&D Systems at (612) 379-2956 or (800)-343-7475. In Europe call +44(0)1235-529449.

2. Hazard Identification:

Classification: Regulation (EC) No. 1272/2008 (CLP/EU-GHS), 29 CFR 1910.1200 (OSHA): Sodium Selenite

GHS Classification: Acute toxicity, Oral (Category 2)
 Acute toxicity, Inhalation (Category 3)

Signal Word: DANGER

Hazard Statements: H300: Fatal if swallowed; H331: Toxic if inhaled.

Precautionary Statements: P264: Wash hands thoroughly after handling. P270: Do not eat, drink or smoke when using this
product. P261: Avoid breathing dust/fumes/gas/mist/vapors/spray. P271: Use only outdoors or in a well-ventilated area.

Responses:

IF SWALLOWED: Immediately call a Poison Center or physician. Specific treatment in this SDS. Rinse mouth. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or physician. See specific treatments in this SDS.

- Classification according to EU Directives 67/548/EEC or 1999/45/EC: T+: Very toxic. N: Dangerous for the environment.
- R Phrases: R28: Very toxic is swallowed. R23: Toxic by inhalation. R31: Contact with acids liberates toxic gas. R43: May
 cause sensitization by skin contact. R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic
 environment.
- S Phrases: S1/2: Keep locked up and out of reach of children. S28: After contact with skin, wash immediately with plenty of soap and water. S36/37 Wear suitable protective clothing and gloves. S45: In case of accident or if you feel unwell, seek medical advice immediately (show label where possible). S61: Avoid release to the environment. Refer to special instructions/Safety data sheets
- Special Hazards: EUH031: Contact with acids liberates toxic gas.

3. Information on Ingredients:

Description: Sodium selenite Formula: Na₂O₃Se Molecular Weight: 172.94 g/mol

Contains	CAS No.	EC-No.	Index-No.	Content
Sodium selenite	10102-18-8	233-267-9	034-003-00-	< 0.001%
			3	

Rev 2 biotechne

Page 1 of 5

TEL+44 (0) 1235 529449



Product Name: Methylcellulose Stock Solution Reviewed on: 07/18/2023

4. First Aid Measures:

- After Inhalation: If breathed in, move person to fresh air. If not breathing, give artificial respiration. Consult a physician.
- After Skin Contact: Wash off with soap and plenty of water. Take victim immediately to a hospital. Consult a physician.
- After Eye Contact: Flush eyes with water as a precaution.
- After Swallowing: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.
- Most important symptoms and effects, both acute and delayed: Acute: Abdominal cramps. Vomiting. Cough, dizziness, Headache. Delayed: contact with skin may cause dermatitis.
- Indication of any immediate medical attention and special treatment needed: Consult a physician.

5. Fire Fighting Measures:

- Suitable extinguishing agents: Water spray, foam, carbon dioxide, dry sand, special powder.
- Special hazards arising from the substance or mixture: Hazardous decomposition products formed under fire conditions Sodium oxides, Selenium/Selenium oxides.
- Special protective actions for fire-fighters: Self contained breathing apparatus and full protective clothing must be worn in
 case of fire.

6. Accidental Release Measures:

- Personal precautions, protective equipment and emergency procedures: Wear respiratory protection. Use appropriate
 personal protective equipment to prevent contamination of skin, eyes and personal clothing. Avoid breathing vapors, mist or
 gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
- Environmental precautions: Keep away from drains. Discharge into environment must be avoided.
- Methods and materials for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable closed containers for disposal.

7. Handling and Storage:

- Precautions for safe handling: Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid inhalation of
 vapour or mist. Provide appropriate exhaust ventilation at places where dust is formed.
- Conditions for safe storage, including incompatibilities: Store locked up. Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Do not allow to come in contact with acids.

8. Exposure Controls and Personal Protection:

Control parameters:

Component: Sodium Selenite (CAS# 10102-18-8):

USA Occupational Exposure Limits (OSHA): TWA – 0.2 mg/m³ UK EH40 WEL – Workplace Exposure Limits: TWA – 0.1 mg/m³

- Appropriate engineering controls: Use with adequate ventilation including local extraction. Ensure that eyewash stations and safety showers are close to the workstation location.
- Individual protection measures: Wash hands thoroughly after handling chemical products and before eating, smoking or
 using the toilet. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated
 clothing before reusing.

Eye/face protection: Face Shield and Safety Glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin/hand protection: Handle with protective gloves, plastic or rubber. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Rev 2 Page 2 of 5

bio-techne.com info@bio-techne.com techsupport@bio-techne.com

TEL+44 (0) 1235 529449



Product Name: Methylcellulose Stock Solution

Body protection: Complete Suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved.

Respiratory protection: In case of inadequate ventilation, use a suitable respirator. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. Physical and Chemical Properties:

Appearance: Liquid

Upper/lower flammability or explosive limits: Not available

Odor: Odorless

Odor threshold: Not available

pH: Not available

Melting point/freezing point: Not available

Boiling point/Boiling range: Not available

Flash point: Not available

Evaporation rate: Not available

Flammability (solid, gas): Not available

Upper/lower flammability or explosive limits: Not available

Reviewed on: 07/18/2023

Vapor density: Not available

• Vapor pressure: Not available

Relative density: Not available

Solubility in/Miscibility with Water: Soluble

Partition coefficient: noctoanol/water: Not available

Auto igniting: Not available

Decomposition temperature: Not available

Viscosity: Not available

10. Stability and Reactivity:

• Reactivity: No data available

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions: No data available

Conditions to avoid: No data available

Incompatible materials: Strong acids

Hazardous decomposition products: Products formed under fire conditions: Sodium oxides, Selenium/selenium oxides.

11. Toxicological Information:

- Acute toxicity: Oral LD50: LD50 Oral mouse 7.08 mg/kg, LD50 Oral rabbit 2.25 mg/.
- Inhalation LC50 and Dermal LD50 No data available.
- Skin corrosion/irritation: Skin rashes.
- Serious eye damage/irritation: Severe eye irritation may occur with exposure to selenium dust.
- Respiratory or skin sensitization: Upper respiratory irritation.
- Germ cell mutagenicity: Laboratory experiments have shown mutagenic effects.
- Carcinogenicity: No data available.
- Reproductive toxicity: No data available.
- Specific target organ toxicity (STOT) -single exposure: No data available.
- Specific target organ toxicity (STOT) -repeated exposure: No data available.
- Aspiration hazard: No data available
- Information on likely routes of exposure: Routes of entry anticipated; oral, dermal, inhalation.
- Potential Health Effects:

Inhalation: Toxic if inhaled. May cause respiratory tract irritation.

Ingestion: May be fatal if swallowed.

Skin: May be harmful if absorbed though skin. May cause skin irritation.

Eyes: May cause eye irritation.

Rev 2 Page 3 of 5

bio-techne.com North America Europe • Middle East • Africa China info.cn@bio-techne.com techsupport@bio-techne.com TEL 800 343 7475 TEL+44 (0) 1235 529449 TEL+86 (21) 52380373 TEL+1 612 379 2956



Reviewed on: 07/18/2023

Product Name: Methylcellulose Stock Solution

Symptoms related to the physical, chemical and toxicological characteristics:

Inhalation: Toxic if inhaled. May cause respiratory tract irritation.

Ingestion: May be fatal if swallowed.

Skin: May be harmful if absorbed though skin. May cause skin irritation.

Eyes: May cause eye irritation.

Signs and Symptoms of Exposure: Salivation, Tremors, Alopecia, Vomiting, Dermatitis

Delayed and immediate effects and also chronic effects from short and long term exposure:

Short term exposure:

Potential immediate effects: facial flushing, light headedness, muscle tenderness, tremors. Upper GI irritation. Eye

irritation.

Potential delayed effects: Nausea, vomiting, upper GI irritation, skin rash.

Long term exposure:

Potential immediate effects: Not available. Potential delayed effects: Not available.

- Effects of chronic exposure: marked hepatic necrosis in laboratory experiments.
- Numerical measures of toxicity: Not available
- Other Information: RTECS: VS7350000

12. Ecological Information:

- Ecotoxicity: Toxicity to fish: LC50 Oncorhynchus mykiss (rainbow trout) 2.75 mg/L 96.0 hr.
 - Mortality NOEC Daphnia magna (Water flea) 0.24 mg/L 21 hr.
- Biodegradability and Persistence: No data available.
- Bioaccumulative potential: may occur along the food chain in plants and fish.
- Mobility in soil: No data available.
- Other adverse effects: Toxic to aquatic organisms. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. Disposal Considerations:

- Disposal methods: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional
 waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a
 chemical incinerator equipped with an afterburner and scrubber. Dispose of waste in accordance to applicable national,
 regional, or local regulations.
- Contaminated packaging: Dispose as above.

14. Transportation Information:

- UN Number: None
- DOT regulations: Hazard class: None
- Land transport ADR/RID (cross-border): Not regulated.
- Maritime transport IMDG: Not regulated.
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR: Not regulated.
- Transport/Additional information: Not dangerous according to the above specifications.

15. Regulations:

US. Toxic Substances Control Act: On TSCA inventory

Rev 2 Page 4 of 5

bio-techne.com North America Europe • Middle East • Africa China info.cn@bio-techne.com techsupport@bio-techne.com TEL 800 343 7475 TEL+44 (0) 1235 529449 TEL+86 (21) 52380373 TEL+1 612 379 2956



Product Name: Methylcellulose Stock Solution

SARA 313 Components: Sodium Selenite is listed SARA 311/312 Hazards: Acute Health Hazard CERCLA Reportable Quantity: 100 lbs.

California Prop. 65: Not listed.

Reviewed on: 07/18/2023

16. Other Information:

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

TEL+44 (0) 1235 529449