

**Product Name: Human Leptin Magnetic Luminex Performance Assay** 

Reviewed on: 15 May 2017

#### 1. Identification of Substance:

• Other means of identification: Catalog Number: LUBM398

Product: Microparticle concentrate (contains ProClin 300), Biotin antibody concentrate (contains ProClin 300).

- GHS product identifier: Human Leptin Magnetic Luminex Performance Assay
- Application of the substance / the preparation: For Research Use Only
- Manufacturer/Supplier:

Bio-Techne - R&D Systems Inc. 614 McKinley Place N.E. Minneapolis, MN 55413 USA 1-800-343-7475


- For product related questions call: 1-800-343-7475. In Europe call: +44(0)1235-529449.
- Emergency information: In case of a chemical emergency, spill, fire, or exposure, call R&D Systems at (612) 379-2956 or (800)-343-7475. In Europe call +44(0)1235-529449.

### 2. Hazard Identification:

Classification: This substance is classified as a skin sensitizer according to the Regulation (EC) No. 1272/2008 (CLP/EU-GHS), 29 CFR 1910.1200 (OSHA): Contains ProClin 300: Skin Sens. 1

- Pictogram:
- Signal Word: WARNING
- Hazard statements:

H317: May cause an allergic skin reaction.



P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves.

- Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: get medical attention. Wash contaminated clothing before reuse.
- Hazard Symbol / R-Phrase / S-Phrase: R43: May cause sensitization by skin contact. S36/37: Wear Suitable protective clothing and gloves
- Label Elements: Not applicable.
- Other hazards: Not applicable.

## 3. Information on Ingredients:

Description: ProClin 300

Contains	CAS No.	EC-No.	Index-No.	Content
Modified Alkyl Carboxylate	-	-	-	<0.01%
Mixture of 5-Chloro-2-Methyl-4-	55965-84-9	-	613-167-00-5	<0.01%
Isothiazolin-3-One (26172-55-4) and 2-				
Methyl-4-Isothiazolin-3-One (2682-20-4)				
Modified Glycol	-	-	-	≤1.6%

#### 4. First Aid Measures:

Bio-Techne is a trading name for R&D Systems

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly. Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. Consult a doctor.

Rev 0 Page 1 of 4

bio-techne.com North America Europe • Middle East • Africa China info.cn@bio-techne.com techsupport@bio-techne.com TEL 800 343 7475 TEL+44 (0) 1235 529449 China info.cn@bio-techne.com TEL+86 (21) 52380373 TEL+1 612 379 2956



**Product Name: Human Leptin Magnetic Luminex Performance Assay** 

Reviewed on: 15 May 2017

• After swallowing: Rinse mouth with water. Seek medical attention and appropriate follow-up.

### 5. Fire Fighting Measures:

- Suitable extinguishing agents: Use water spray or extinguishing measure that is appropriate to local circumstances and the surrounding environment.
- Hazards from the substance or mixture: Sodium oxides.
- Special precautions for fire-fighters: Self-contained breathing apparatus and full protective clothing must we worn in case of fire.
- Other information: This product does not burn.

#### 6. Accidental Release Measures:

- Person-related safety precautions: Use standard laboratory practices and appropriate personal protective equipment to prevent contamination of skin, eyes and personal clothing. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
- Measures for environmental protection: Keep away from drains.
- Measures for containment and cleaning: Soak up with inert absorbent material and dispose of as per section 13. Keep in suitable, closed containers for disposal.
- Additional information: Not available.

### 7. Handling and Storage:

- Precautions for safe handling: Avoid inhalation of vapor or mist. Avoid contact with eyes and skin. No special precautions are necessary if used properly.
- Conditions for safe storage: Store in a cool, dry place. Keep container tightly closed in a dry and well-ventilated place.
   Containers which are opened must be carefully resealed and kept upright to prevent leakage. Do not store in incompatible containers

# 8. Exposure Controls and Personal Protection:

- Control parameters: Not available.
- Appropriate engineering controls: Use with adequate ventilation including local extraction. Ensure that eyewash stations and safety showers are close to the workstation location. Follow standard laboratory practices.
- Individual protection measures: Wash hands thoroughly after handling chemical products and before eating, smoking or using
  the restroom. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing
  before reusing.

Eye/face protection: Wear approved safety goggles.

**Skin/hand protection:** Handle with protective gloves, plastic or rubber. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body protection: Wear suitable protective clothing as protection against splashing or contamination.

Other skin protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved.

**Respiratory protection:** In case of inadequate ventilation, use a suitable respirator. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Rev 0 biotechne

Page 2 of 4

TEL+44 (0) 1235 529449



**Product Name: Human Leptin Magnetic Luminex Performance Assay** 

Reviewed on: 15 May 2017

## 9. Physical and Chemical Properties:

Appearance: Clear Liquid	Upper/lower flammability or explosive limits: Not available	
Odor: Not available	Vapor density : Not available	
Odor threshold: Not available	Vapor pressure: Not available	
pH: Not available	Relative density: 1.03 g/cm³	
Melting point/freezing point: -40° C	Solubility in/Miscibility with Water: Soluble	
Boiling point/Boiling range: 189° C	Partition coefficient: noctanol/water: Not available	
Flash point: 118° C – closed cup	Auto igniting: Not available	
Evaporation rate: Not available	Decomposition temperature: Not available	
Flammability (solid, gas): Not available	Viscosity: Not available	

### 10. Stability and Reactivity:

- Reactivity: Non reactive under normal ambient and storage and handling temperatures.
- Chemical Stability: Stable under normal ambient and storage and handling temperatures.
- Conditions to avoid: Strong oxidizing agents, reducing agents, Amines, Mercaptans
- Hazardous decomposition products: Hazardous decomposition products formed under fire conditions Carbon oxides, nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride gas.

## 11. Toxicological Information:

- Acute toxicity: LD50 Oral rat 862 mg/kg
  - LD50 Dermal rabbit- 2800 mg/kg
- Skin corrosion/irritation: Can cause severe burns Skin rabbit Corrosive
- Serious eye damage/irritation: Rabbit Corrosive to eyes.
- Respiratory or skin sensitization: May cause allergic skin reaction.
- Germ cell mutagenicity: Not available.
- Carcinogenicity: Not available.
- Reproductive toxicity: Not available.
- Specific target organ toxicity (STOT) -single exposure: Not available.
- Specific target organ toxicity (STOT) -repeated exposure: Not available.
- Aspiration hazard: Can cause severe burns.
- Information on likely routes of exposure: Routes of entry anticipated; oral, dermal, inhalation.
- Symptoms related to the physical, chemical and toxicological characteristics:

**Inhalation:** Harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: Harmful if swallowed. Causes burns.

**Skin contact:** Harmful if absorbed through skin. Causes burns.

Eye contact: Causes eye burns.

- Delayed and immediate effects and also chronic effects from short and long term exposure:
  - Short term exposure: Potential immediate effects: Not available. Potential delayed effects: Not available.
  - Long term exposure: Potential immediate effects: Not available. Potential delayed effects: Allergic contact dermatitis.
- Effects of chronic exposure: ProClin 300 at levels greater than or equal to 0.1% is not identified as probable, possible or a confirmed human carcinogen by IARC.
- Numerical measures of toxicity: Not available
- Other Information: Not available.

Rev 0 biotechne Page 3 of 4



**Product Name: Human Leptin Magnetic Luminex Performance Assay** 

Reviewed on: 15 May 2017

## 12. Ecological Information:

- Ecotoxicity: No data available
- Biodegradability: No data available.
- Bioaccumulative potential: No data available.
- Mobility in soil: No data available.
- Other adverse effects: Toxic to aquatic organisms.

### 13. Disposal Considerations:

- Disposal methods: Dispose of waste in accordance to applicable national, regional, or local regulations.
- Contaminated packaging: Dispose in the same manner as unused product.
- Special precautions: Dispose of small amounts of spilled material as described in section 6. Large spills must be dealt with separately by qualified disposal personnel. Avoid dispersal of spilt material to soil, waterways, drains and sewers.

### 14. Transportation Information:

- UN Number: None
- DOT regulations: Hazard class: None
- Land transport ADR/RID (cross-border): Not regulated.
- Maritime transport IMDG: Not regulated.
- Marine pollutant: No
- Air transport ICAO-TI and IATA-DGR: Not regulated.
- Transport/Additional information: Not dangerous according to the above specifications.

# 15. Regulations:

- US Federal and State Regulations
- Toxic Substances Control Act: On TSCA Inventory
- SARA 313 Components: Not listed
- SARA 311/312 Hazards: Acute Health Hazard
- CERCLA Reportable Quantity: 1,000 lbs
- California Proposition 65: Not listed.

#### 16. Other Information:

Notice to reader: To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Rev 0 biotechne

Page 4 of 4

TEL+44 (0) 1235 529449