

TOCRIS

Certificate of Analysis

Print Date: Feb 1st 2024

www.tocris.com

Product Name: (RS)-(±)-Sulpiride Catalog No.: 0894 Batch No.: 4

CAS Number: 15676-16-1 EC Number: 239-753-7

IUPAC Name: (RS)-(±)-5-Aminosulfonyl-N-[(1-ethyl-2-pyrrolidinyl)methyl]-2-methoxybenzamide

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{15}H_{23}N_3O_4S$.

Batch Molecular Weight: 341.42 **Physical Appearance:** White solid

Solubility: DMSO to 100 mM

Storage: Store at RT

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 100.0% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 52.77 6.79 12.31 Found 52.19 6.49 12.05

www.tocris.com/distributors Tel:+1 612 379 2956



Product Information

Print Date: Feb 1st 2024

4

www.tocris.com

Product Name: (RS)-(±)-Sulpiride Catalog No.: 0894

CAS Number: 15676-16-1 EC Number: 239-753-7

IUPAC Name: (RS)-(±)-5-Aminosulfonyl-N-[(1-ethyl-2-pyrrolidinyl)methyl]-2-methoxybenzamide

Description:

(RS)-(\pm)-Sulpiride is a standard D₂-like dopamine receptor antagonist. S-enantiomer also available.

Physical and Chemical Properties:

Batch Molecular Formula: $C_{15}H_{23}N_3O_4S$.

Batch Molecular Weight: 341.42 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at RT

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Seeman and Van Tol (1994) DA receptor pharmacology. TiPS 15 264. PMID: 7940991.

Seeman and Van ToI (1993) DA D₄ receptors bind inactive (+)-aporphines, suggesting neuroleptic role. Sulpiride not stereoselective. Eur.J.Pharmacol. **233** 173. PMID: 8097160.

Merck Index 12 9163.