

Product Name: Cytochalasin D

Catalog No.: 1233 **Batch No.:** 13


CAS Number: 22144-77-0

EC Number: 244-804-1

IUPAC Name: (7*S*,13*E*,16*S*,18*R*,19*E*,21*R*)-21-(Acetyloxy)-7,18-dihydroxy-16,18-dimethyl-10-phenyl[11]cytochalasa-6(12),13,19-triene-1,17-dione

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₃₀H₃₇NO₆
Batch Molecular Weight: 507.63
Physical Appearance: White solid
Solubility: ethanol to 5 mg/ml with gentle warming
DMSO to 25 mg/ml
Storage: Store at -20°C
Batch Molecular Structure:



2. ANALYTICAL DATA

HPLC: Shows 99.7% purity
¹H NMR: Consistent with structure
Mass Spectrum: Consistent with structure

Microanalysis:

	Carbon	Hydrogen	Nitrogen
Theoretical	70.98	7.35	2.76
Found	70.69	7.08	2.88

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Name: Cytochalasin D

CAS Number: 22144-77-0

IUPAC Name: (7S,13E,16S,18R,19E,21R)-21-(Acetyloxy)-7,18-dihydroxy-16,18-dimethyl-10-phenyl[11]cytochalasa-6(12),13,19-triene-1,17-dione

Catalog No.: 1233

Batch No.: 13

EC Number: 244-804-1

Description:

Cytochalasin D is a potent disruptor of actin filament function. Alters tight junction permeability. Unlike cytochalasin B (Cat. No. 5474), does not inhibit monosaccharide transport across the plasma membrane.

Physical and Chemical Properties:


Batch Molecular Formula: C₃₀H₃₇NO₆

Batch Molecular Weight: 507.63

Physical Appearance: White solid

Minimum Purity: ≥95%

Batch Molecular Structure:



Storage: Store at -20°C

Solubility & Usage Info:

ethanol to 5 mg/ml with gentle warming
DMSO to 25 mg/ml

When purchased as a 1mg unit, this product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. *Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Abedi and Zachary (1998) Cytochalasin D stimulation of tyrosine phosphorylation and phosphotyrosine-associated kinase activity in vascular smooth muscle cells. *Biochem.Biophys.Res.Commun.* **245** 646. PMID: 9588169.

Stevenson and Begg (1994) Concentration-dependent effects of cytochalasin D on tight junctions and actin filaments in MDCK epithelial cells. *J.Cell Sci.* **107** 367. PMID: 8006058.

Carlier et al (1986) Interaction of cytochalasin D with actin filaments in the presence of ADP and ATP. *J.Biol.Chem.* **261** 2041. PMID: 3944126.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com
techsupport@bio-techne.com

North America

Tel: (800) 343 7475

China

info.cn@bio-techne.com
Tel: +86 (21) 52380373

Europe Middle East Africa

Tel: +44 (0)1235 529449

Rest of World

www.tocris.com/distributors
Tel:+1 612 379 2956