



Certificate of Analysis

www.tocris.com

Product Name: Sphingosine-1-phosphate Catalog No.: 1370 Batch No.: 4

CAS Number: 26993-30-6

IUPAC Name: (E)-D-erythro-2-amino-1-(dihydrogenphosphate)-4-octadecene-1,3-diol

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{18}H_{38}NO_5P$.Batch Molecular Weight:379.48Physical Appearance:White solidStorage:Store at $+4^{\circ}C$

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 99.1% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 56.97 10.09 3.69 Found 56.59 10.23 3.8

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

Product Information

Print Date: Oct 12th 2022

4

www.tocris.com

Product Name: Sphingosine-1-phosphate

CAS Number: 26993-30-6

IUPAC Name: (E)-D-erythro-2-amino-1-(dihydrogenphosphate)-4-octadecene-1,3-diol

Description:

Sphingosine-1-phosphate is an endogenous second messenger involved in the control of cell proliferation and motility, and Ca²⁺ mobilization. Acts as an agonist at sphingosine-1-phosphate receptors (S1P₁₋₅) and as an activator of GPR3, GPR6 and GPR12. Effectors regulated include p38 MAP kinase, PLC, adenylyl cyclase, myosin light chain phosphatase and focal adhesion kinase. Also activates VRAC-mediated transport of 2'3'-cyclic-GMP-AMP (cGAMP).

Physical and Chemical Properties:

Batch Molecular Formula: C₁₈H₃₈NO₅P. Batch Molecular Weight: 379.48 Physical Appearance: White solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at +4°C

Solubility & Usage Info:

Stock solutions of this product are difficult to produce - we therefore recommend that either of the following methods are used to produce a stock solution of this product: Method 1 - Dissolve the product in phosphate-buffered saline as a complex with bovine serum albumin (4mg/ml) to a final concentration of 1mM (van Koppen et al (1996) Activation of a high affinity $G_{\rm i}$ protein-coupled plasma membrane receptor by sphingosine-1-phosphate. J.Biol.Chem. 271 2082). Method 2 — The product can be dissolved to $0.5\mu{\rm M}$ in a microinjection buffer consisting of 100mM K+-glutamate and 30mM K+-citrate (pH7.3) (Postma et al (1996) Sphingosine-1-phosphate rapidly induces Rho-dependent retraction: action through a specific cell surface receptor. EMBO J. 15 2388).

Catalog No.: 1370

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

 $\textbf{Lahey} \ \textit{et al} \ (2020) \ \mathsf{LRRC8A:C/E} \ \textit{heteromeric channels are ubiquitous transporters of cGAMP.} \ \textit{Mol.Cell.} \ \textit{80} \ \textit{1.} \ \mathsf{PMID:} \ 33171122.$

Morstein et al (2019) Optical control of sphingosine-1-phosphate formation and function. Nat. Chem 15 623. PMID: 31036923.

Essler et al (2002) Sphingosine 1-phosphate dynamically regulates myosin light chain phosphatase activity in human endothelial cells. Cell.Signal. 14 607. PMID: 11955953.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use