# TOCRIS a biotechne brand

#### Print Date: Jan 14th 2016

# **Certificate of Analysis**

### www.tocris.com

#### Product Name: (-)-Cytisine

Catalog No.: 1390 EC Number: 207-616-0 Batch No.: 2


CAS Number: IUPAC Name:

# 485-35-8

485-35-8 EC Nurr (1*R*,5*S*)-1,2,3,4,5,6-hexahydro-1,5-methano-8*H*-pyrido[1,2-*a*][1,5]diazocin-8-one

## 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: Batch Molecular Weight: Physical Appearance: Solubility: Storage: Batch Molecular Structure: C<sub>11</sub>H<sub>14</sub>N<sub>2</sub>O 190.24 White solid water to 100 mM Desiccate at RT



#### 2. ANALYTICAL DATA

HPLC: <sup>1</sup>H NMR: Mass Spectrum: Optical Rotation: Microanalysis: Shows 99.7% purity Consistent with structure Consistent with structure  $[\alpha]_D = -119$  (Concentration = 1, Solvent = Water) Carbon Hydrogen Nitrogen Theoretical 69.45 7.42 14.73 Found 69.45 7.49 14.81

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956

# TOCRIS a biotechne brand

### Print Date: Jan 14th 2016

### www.tocris.com

#### Product Name: (-)-Cytisine

485-35-8

EC Number: 207-616-0

Batch No.: 2

Catalog No.: 1390

**IUPAC Name:** (1R,5S)-1,2,3,4,5,6-hexahydro-1,5-methano-8H-pyrido[1,2-a][1,5]diazocin-8-one

#### **Description:**

CAS Number:


A potent, selective agonist at neuronal nicotinic receptors. Acts as a partial agonist at β2-containing nicotinic receptors.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C11H14N2O Batch Molecular Weight: 190.24 Physical Appearance: White solid

Minimum Purity: >99%

**Batch Molecular Structure:** 



# Storage: Desiccate at RT

Solubility & Usage Info: water to 100 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### **References:**

Reavill et al (1990) Behavioural and pharmacokinetic studies on nicotine, cytisine and lobeline. Neuropharmacology 29 619. PMID: 2385332.

Happe et al (1994) Localization of nicotinic cholinergic receptors in rat brain: autoradiographic studies with [3H]cytisine. Neuroscience 62 929. PMID: 7870314.

Papke et al (1994) Partial agonist properties of cytisine on neuronal nicotinic receptors containing the  $\beta_2$  subunit. Mol.Pharmacol. 45 142. PMID: 8302273.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use