



# **Certificate of Analysis**

www.tocris.com

Product Name: AY-NH<sub>2</sub> Catalog No.: 1487 Batch No.: 16

CAS Number: 352017-71-1

#### 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:** C<sub>34</sub>H<sub>48</sub>N<sub>8</sub>O<sub>7</sub>

Batch Molecular Weight: 680.8

Physical Appearance: White lyophilised solid

Counter Ion: TFA

**Solubility:** Soluble to 2 mg/ml in water

Storage: Store at -20°C

Peptide Sequence: Ala-Tyr-Pro-Gly-Lys-Phe-NH<sub>2</sub>

2. ANALYTICAL DATA

**HPLC:** Shows 99.2% purity

Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid	Theoretical	Actual	Amino Acid	Theoretical	Actual
Ala	1.00	0.98	Lys	1.00	1.00
Arg			Met		
Asx			Phe	1.00	0.99
Cys			Pro	1.00	1.02
Glx			Ser		
Gly	1.00	1.02	Thr		
His			Trp		
lle			Tyr	1.00	0.99
Leu			Val		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



## **Product Information**

Print Date: Jun 11th 2025

www.tocris.com

Product Name: AY-NH<sub>2</sub> Catalog No.: 1487 Batch No.: 16

CAS Number: 352017-71-1

### **Description:**

AY-NH $_2$  is a selective PAR $_4$  receptor agonist peptide. Stimulates platelet aggregation in vitro (EC $_{50}$  = 15  $\mu$ M). Exhibits an increase in paw thickness in the paw edema inflammation model in vivo.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>34</sub>H<sub>48</sub>N<sub>8</sub>O<sub>7</sub> Batch Molecular Weight: 680.8

Physical Appearance: White lyophilised solid

#### **Peptide Sequence:**

Ala-Tyr-Pro-Gly-Lys-Phe-NH<sub>2</sub>

**Storage:** Store at -20°C

#### Solubility & Usage Info:

Soluble to 2 mg/ml in water

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Counter Ion: TFA

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

#### References:

**Hollenburg** *et al* (2004) Proteinase-activated receptor-4: evaluation of tethered ligand-derived peptides as probes for receptor function and as inflammatory agonists *in vivo*. Br.J.Pharmacol. *143* 443. PMID: 15451771.

Hollenberg and Saifeddine (2001) Proteinase-activated receptor 4 (PAR4): activation and inhibition of rat platelet aggregation by PAR4-derived peptides. Can.J.Physiol.Pharmacol. **79** 439. PMID: 11405248.

**Faruqi** et al (2000) Structure-function analysis of protease-activated receptor 4 tethered ligand peptides. J.Biol.Chem. **275** 19728. PMID: 10779527.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use