



Certificate of Analysis

www.tocris.com

Product Name: SC 560 Catalog No.: 1550 Batch No.: 1

CAS Number: 188817-13-2

IUPAC Name: 5-(4-Chlorophenyl)-1-(4-methoxyphenyl)-3-(trifluoromethyl)-1*H*-pyrazole

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C17H12CIF3N2O
Batch Molecular Weight: 352.74

Physical Appearance: Light brown solid

Solubility: DMSO to 100 mM ethanol to 25 mM

Storage: Store at +4°C

Batch Molecular Structure:

2. ANALYTICAL DATA

TLC: $R_f = 0.4$ (Ethyl acetate:Petroleum ether [9:1])

Melting Point:

HPLC:

Shows 98.5% purity

TH NMR:

Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 57.89 3.43 7.94 Found 58.15 3.56 7.77

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



Product Information

Print Date: Apr 25th 2022

www.tocris.com

Product Name: SC 560 Catalog No.: 1550 Batch No.: 1

CAS Number: 188817-13-2

IUPAC Name: 5-(4-Chlorophenyl)-1-(4-methoxyphenyl)-3-(trifluoromethyl)-1*H*-pyrazole

Description:

SC 560 is a highly selective cyclooxygenase-1 (COX-1) inhibitor (IC $_{50}$ values are 0.009 and 6.3 μ M for COX-1 and COX-2 respectively). Inhibits COX-1-derived platelet thromboxane B $_2$, gastric PGE $_2$ and dermal PDE $_2$ production. Significantly reduces ovarian surface epithelial tumor growth in vivo. Orally active.

Physical and Chemical Properties:

Batch Molecular Formula: C17H12CIF3N2O Batch Molecular Weight: 352.74

Physical Appearance: Light brown solid

Minimum Purity: ≥98%

Batch Molecular Structure:

Storage: Store at +4°C

Solubility & Usage Info:

DMSO to 100 mM ethanol to 25 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Daikoku et al (2005) Cyclooxygenase-1 is a potential target for prevention and treatment of ovarian epithelial cancer. Cancer Res. 65 3735. PMID: 15867369.

Takeuchi *et al* (2005) COX inhibition and NSAID-induced gastric damage - roles in various pathogenic events. Curr.Top.Med.Chem. **5** 475. PMID: 15974942.

Smith et al (1998) Pharmacological analysis of cyclooxygenase-1 in inflammation. Proc Natl Acad Sci U S A 95 13313. PMID: 9789085.