

Certificate of Analysis

Print Date: Mar 10th 2022

www.tocris.com

Product Name: Indatraline hydrochloride Catalog No.: 1588 Batch No.: 9

CAS Number: 96850-13-4

IUPAC Name: (1R,3S)-rel-3-(3,4-Dichlorophenyl)-2,3-dihydro-N-methyl-1H-inden-1-amine hydrochloride

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₁₆H₁₅Cl₂N.HCl

Batch Molecular Weight: 328.67

Physical Appearance: Off-white solid

Solubility: water to 10 mM with gentle warming

DMSO to 100 mM

Storage: Desiccate at RT

Batch Molecular Structure:

2. ANALYTICAL DATA

HPLC: Shows 99.9% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 58.47 4.91 4.26 Found 58.39 4.91 4.39



Product Information

Print Date: Mar 10th 2022

www.tocris.com

Batch No.: 9

Product Name: Indatraline hydrochloride

CAS Number: 96850-13-4

IUPAC Name: (1R,3S)-rel-3-(3,4-Dichlorophenyl)-2,3-dihydro-N-methyl-1H-inden-1-amine hydrochloride

Description:

Indatraline hydrochloride is a potent monoamine uptake inhibitor. Inhibits transporters for 5-HT (SERT), dopamine (DAT) and noradrenaline (NET) (K_i values are 0.42, 1.7 and 5.8 nM respectively). Centrally active following systemic administration in vivo.

Physical and Chemical Properties:

Batch Molecular Formula: C₁₆H₁₅Cl₂N.HCl

Batch Molecular Weight: 328.67 Physical Appearance: Off-white solid

Minimum Purity: ≥99%

Batch Molecular Structure:

Storage: Desiccate at RT

Solubility & Usage Info:

water to 10 mM with gentle warming DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Catalog No.: 1588

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Gu et al (2000) Design, synthesis, and monoamine transporter binding site affinities of methoxy derivatives of indatraline. J.Med.Chem. **43** 4868. PMID: 11123996.

Negus *et al* (1999) Effects of the long-acting monoamine reuptake inhibitor indatraline on cocaine self-administration in rhesus monkeys. J.Pharmacol.Exp.Ther. **291** 60. PMID: 10490887.

Hyttel and Larsen (1985) Neurochemical profile of Lu 19-005, a potent inhibitor of uptake of DA, noradrenaline and serotonin. J.Neurochem. **44** 1615. PMID: 2580950.