



Certificate of Analysis

www.tocris.com

Product Name: SR 33805 oxalate Catalog No.: 1806 Batch No.: 1

CAS Number: 121346-33-6

IUPAC Name: 3,4-Dimethoxy-N-methyl-N-[3-[4-[[1-methyl-3-(1-methylethyl)-1H-indol-2-yl]sulfonyl]phenoxy]propyl]

benzeneethanamine

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{32}H_{40}N_2O_5S.C_2H_2O_4$

Batch Molecular Weight: 654.77 **Physical Appearance:** White solid

Solubility: DMSO to 100 mM

Storage: Store at RT

Batch Molecular Structure:

2. ANALYTICAL DATA

TLC: $R_f = 0.1$ (Ethyl acetate:Methanol [9:1])

Melting Point: At 83°C

HPLC: Shows >99% purity

1H NMR: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 62.37 6.47 4.28 Found 62.3 6.44 4.17



Product Information

Print Date: Jan 15th 2016

www.tocris.com

Product Name: SR 33805 oxalate Catalog No.: 1806 Batch No.: 1

CAS Number: 121346-33-6

IUPAC Name: 3,4-Dimethoxy-N-methyl-N-[3-[4-[[1-methyl-3-(1-methylethyl)-1H-indol-2-yl]sulfonyl]phenoxy]propyl]

benzeneethanamine

Description:

Potent Ca²⁺ channel antagonist; binds allosterically to the a_1 -subunit of L-type Ca²⁺ channels ($K_d=20\ pM$), at a site distinct from other types of blocker. Shows some selectivity for vascular smooth muscle, inducing vasorelaxation without producing inotropic or chronotropic effects. Inhibits PDGF-stimulated smooth muscle cell proliferation.

Physical and Chemical Properties:

Batch Molecular Formula: C₃₂H₄₀N₂O₅S.C₂H₂O₄

Batch Molecular Weight: 654.77 Physical Appearance: White solid

Minimum Purity: >99%

Batch Molecular Structure:

Storage: Store at RT

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Chatelain et al (1993) In vitro characterization of a novel Ca2+ entry blocker: SR 33805. Eur.J.Pharmacol. 246 181. PMID: 8223943.

Romey and Lazdunski (1994) Effects of a new class of calcium antagonists, SR33557 (fantofarone) and SR33805, on neuronal voltage-activated Ca++ channels. J.Pharmacol.Exp.Ther. **271** 1348. PMID: 7996445.

Magnier-Gaubil *et al* (1996) Smooth muscle cell cycle and proliferation. Relationship between calcium influx and sarco-endoplasmic reticulum Ca²+ATPase regulation. J.Biol.Chem. **271** 27788. PMID: 8910375.