

# Certificate of Analysis

[www.tocris.com](http://www.tocris.com)

**Product Name:** Glucagon-like peptide 1 (1-37) (human, rat)

**Catalog No.:** 1851

**Batch No.:** 10

**CAS Number:** 87805-34-3

## 1. PHYSICAL AND CHEMICAL PROPERTIES

**Batch Molecular Formula:** C<sub>186</sub>H<sub>275</sub>N<sub>51</sub>O<sub>59</sub>  
**Batch Molecular Weight:** 4169.52  
**Physical Appearance:** White lyophilised solid  
**Counter Ion:** TFA  
**Solubility:** Soluble to 5 mg/ml in water  
**Storage:** Store at -20°C  
**Peptide Sequence:** His-Asp-Glu-Phe-Glu-Arg-His-Ala-Glu-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-Glu-Gly-Gln-Ala-Ala-Lys-Glu-Phe-Ile-Ala-Trp-Leu-Val-Lys-Gly-Arg-Gly

## 2. ANALYTICAL DATA

**HPLC:** Shows 98.0% purity  
**Mass Spectrum:** Consistent with structure

## 3. AMINO ACID ANALYSIS DATA

Amino Acid Theoretical			Actual		
Ala	4.00	3.91	Lys	2.00	1.96
Arg	2.00	2.02	Met		
Asx	2.00	1.97	Phe	3.00	3.02
Cys			Pro		
Glx	6.00	6.07	Ser	3.00	2.78
Gly	4.00	3.98	Thr	2.00	1.88
His	2.00	1.86	Trp	1.00	Not Detected
Ile	1.00	1.02	Tyr	1.00	1.03
Leu	2.00	2.02	Val	2.00	2.01

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

**bio-techne.com**  
[info@bio-techne.com](mailto:info@bio-techne.com)  
[techsupport@bio-techne.com](mailto:techsupport@bio-techne.com)

**North America**  
 Tel: (800) 343 7475

**China**  
[info.cn@bio-techne.com](mailto:info.cn@bio-techne.com)  
 Tel: +86 (21) 52380373

**Europe Middle East Africa**  
 Tel: +44 (0)1235 529449

**Rest of World**  
[www.tocris.com/distributors](http://www.tocris.com/distributors)  
 Tel: +1 612 379 2956

**Product Name:** Glucagon-like peptide 1 (1-37) (human, rat)

**Catalog No.:** 1851

**Batch No.:** 10

**CAS Number:** 87805-34-3

**Description:**

Glucagon-like peptide 1 (1-37) (human, rat) is a pancreatic hormone synthesized by post-translational processing of proglucagon. Unlike truncated forms of GLP-1, it has no effect on food intake in rats and does not enhance pancreatic insulin secretion. However it induces insulin expression in intestinal epithelial cells, which can restore glucose homeostasis when implanted into diabetic mice.

**Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>186</sub>H<sub>275</sub>N<sub>51</sub>O<sub>59</sub>

Batch Molecular Weight: 4169.52

Physical Appearance: White lyophilised solid

**Peptide Sequence:**

His-Asp-Glu-Phe-Glu-Arg-His-Ala-Glu-Gly-  
Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-  
Glu-Gly-Gln-Ala-Ala-Lys-Glu-Phe-Ile-Ala-  
Trp-Leu-Val-Lys-Gly-Arg-Gly

**Storage:** Store at -20°C

**Solubility & Usage Info:**

Soluble to 5 mg/ml in water

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

**Counter Ion:** TFA

**Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such as Cys, Met, Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

**References:**

**Suzuki *et al*** (2003) Glucagon-like peptide 1 (1-37) converts intestinal epithelial cells into Ins-producing cells. *Proc.Natl.Acad.Sci.USA* **100** 5034.

**Navarro *et al*** (1996) Colocalization of glucagon-like peptide-1 (GLP-1) receptors, glucose transporter GLUT-2, and glucokinase mRNAs in rat hypothalamic cells: evidence for a role of GLP-1 receptor agonists as an inhibitory signal for food and water intake. *J.Neurochem.* **67** 1982. PMID: 8863504.

**Bell *et al*** (1983) Exon duplication and divergence in the human preproglucagon gene. *Nature* **304** 368. PMID: 6877358.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

**bio-techne.com**

info@bio-techne.com

techsupport@bio-techne.com

**North America**

Tel: (800) 343 7475

**China**

info.cn@bio-techne.com

Tel: +86 (21) 52380373

**Europe Middle East Africa**

Tel: +44 (0)1235 529449

**Rest of World**

www.tocris.com/distributors

Tel: +1 612 379 2956