

# **Certificate of Analysis**

# www.tocris.com

Product Name:Glucagon-like peptide 1 (1-37) (human, rat)CAS Number:87805-34-3

Catalog No.: 1851

Batch No.: 8

# 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:	C <sub>186</sub> H <sub>275</sub> N <sub>51</sub> O <sub>59</sub>
Batch Molecular Weight:	4169.52
Physical Appearance:	White lyophilised solid
Counter Ion:	TFA
Solubility:	Soluble to 5 mg/ml in water
Storage:	Store at -20°C
Peptide Sequence:	His-Asp-Glu-Phe-Glu-Arg-His-Ala-Glu-Gly- Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu- Glu-Gly-Gln-Ala-Ala-Lys-Glu-Phe-Ile-Ala- Trp-Leu-Val-Lys-Gly-Arg-Gly
2. ANALYTICAL DATA	
HPLC:	Shows 95.7% purity

Mass Spectrum:

Shows 95.7% purity Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



8

# www.tocris.com

# Product Name: Glucagon-like peptide 1 (1-37) (human, rat)

Glucagon-like peptide 1 (1-37) (human, rat) is a pancreatic

hormone synthesized by post-translational processing of

proglucagon. Unlike truncated forms of GLP-1, it has no effect

on food intake in rats and does not enhance pancreatic insulin

CAS Number:

**Description:** 

87805-34-3

#### Storage: Store at -20°C

#### Solubility & Usage Info:

Soluble to 5 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Catalog No.: 1851

#### Counter Ion: TFA

#### **Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2  $\mu$ m filter to remove potential bacterial contamination whenever possible.

#### **References:**

Suzuki et al (2003) Glucagon-like peptide 1 (1-37) converts intestinal epithelial cells into Ins-producing cells. Proc.Natl.Acad.Sci.USA 100 5034.

**Navarro** *et al* (1996) Colocalization of glucagon-like peptide-1 (GLP-1) receptors, glucose transporter GLUT-2, and glucokinase mRNAs in rat hypothalamic cells: evidence for a role of GLP-1 receptor agonists as an inhibitory signal for food and water intake. J.Neurochem. **67** 1982. PMID: 8863504.

Bell et al (1983) Exon duplication and divergence in the human preproglucagon gene. Nature 304 368. PMID: 6877358.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.comNorth AmericaChinaEurope Middle East AfricaRest of Worldinfo@bio-techne.comTel: (800) 343 7475info.cn@bio-techne.comTel: +44 (0)1235 529449www.tocris.com/distributorstechsupport@bio-techne.comTel: +86 (21) 52380373Tel: +44 (0)1235 529449tel: +1612 379 2956

secretion. However it induces insulin expression in intestinal epithelial cells, which can restore glucose homeostasis when implanted into diabetic mice. Physical and Chemical Properties:

Batch Molecular Formula: C<sub>186</sub>H<sub>275</sub>N<sub>51</sub>O<sub>59</sub> Batch Molecular Weight: 4169.52 Physical Appearance: White Iyophilised solid

### **Peptide Sequence:**

His-Asp-Glu-Phe-Glu-Arg-His-Ala-Glu-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-Glu-Gly-Gln-Ala-Ala-Lys-Glu-Phe-Ile-Ala-Trp-Leu-Val-Lys-Gly-Arg-Gly