

Product Name: U 46619

Catalog No.: 1932


Batch No.: 13

CAS Number: 56985-40-1

IUPAC Name: (5Z)-7-[(1R,4S,5S,6R)-6-[(1E,3S)-3-Hydroxy-1-octenyl]-2-oxabicyclo[2.2.1]hept-5-yl]-5-heptenoic acid

## 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:	C <sub>21</sub> H <sub>34</sub> O <sub>4</sub>
Batch Molecular Weight:	350.5
Physical Appearance:	liquid
Solubility:	Soluble in methyl acetate (supplied pre-dissolved -10mg/ml)
Storage:	Store at -20°C
Batch Molecular Structure:	



## 2. ANALYTICAL DATA

HPLC:	Shows 98.0% purity
Mass Spectrum:	Consistent with structure

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

**Product Name:** U 46619

**Catalog No.:** 1932

**Batch No.:** 13

CAS Number: 56985-40-1

IUPAC Name: (5Z)-7-[(1R,4S,5S,6R)-6-[(1E,3S)-3-Hydroxy-1-octenyl]-2-oxabicyclo[2.2.1]hept-5-yl]-5-heptenoic acid

**Description:**

U 46619 is a PGH<sub>2</sub> (TXA<sub>2</sub>) analog that is a potent and stable thromboxane A<sub>2</sub> (TP) receptor agonist (EC<sub>50</sub> = 0.035 μM). Potently stimulates TP receptor-mediated, but not other prostaglandin receptor-mediated responses in various in vitro preparations. Activates ERK-1 and ERK-2 in HEK 293 cells expressing TPα and TPβ receptors.

**Physical and Chemical Properties:**


Batch Molecular Formula: C<sub>21</sub>H<sub>34</sub>O<sub>4</sub>

Batch Molecular Weight: 350.5

Physical Appearance: liquid

**Minimum Purity:** ≥98%

**Batch Molecular Structure:**



**Storage:** Store at -20°C

**Solubility & Usage Info:**

Soluble in methyl acetate (supplied pre-dissolved -10mg/ml)

This compound is supplied pre-dissolved in Methyl acetate (10mg/ml). To change the solvent, evaporate the methyl acetate under a gentle stream of nitrogen and immediately add the chosen solvent (preferably purged with nitrogen beforehand). The solubility of U 46619 is greater than 100mM in both DMSO and Ethanol, and about 5mM in PBS. We do not recommend storing aqueous solutions for more than a day.

**Stability and Solubility Advice:**

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. \*Unless contradicted by product-specific protocols or instructions, our standard recommendations apply:

**SOLIDS:** Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

**SOLUTIONS:** We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

**References:**

**Miggin and Kinsella** (2002) Regulation of extracellular signal-regulated kinase cascades by α- and β-isoforms of the human thromboxane A<sub>2</sub> receptor. *Mol.Pharmacol.* **61** 817. PMID: 11901221.

**Morinelli et al** (1987) Receptor-mediated effects of a PGH<sub>2</sub> analogue (U 46619) on human platelets. *Am.J.Physiol.* **253** H1035. PMID: 3688248.

**Coleman et al** (1981) Comparison of the actions of U-46619, a prostaglandin H<sub>2</sub>-analogue, with those of prostaglandin H<sub>2</sub> and thromboxane A<sub>2</sub> on some isolated smooth muscle preparations. *Br.J.Pharmacol.* **73** 773. PMID: 7248665.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com

info@bio-techne.com

techsupport@bio-techne.com

**North America**

Tel: (800) 343 7475

**China**

info.cn@bio-techne.com

Tel: +86 (21) 52380373

**Europe Middle East Africa**

Tel: +44 (0)1235 529449

**Rest of World**

www.tocris.com/distributors

Tel:+1 612 379 2956