

Certificate of Analysis

Print Date: Jan 18th 2016

www.tocris.com

Product Name: SN-6 Catalog No.: 2184 Batch No.: 2

CAS Number: 415697-08-4

IUPAC Name: 2-[[4-[(4-Nitrophenyl)methoxy]phenyl]methyl]-4-thiazolidinecarboxylic acid ethyl ester

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{20}H_{22}N_2O_5S$

Batch Molecular Weight: 402.16 **Physical Appearance:** White solid

Solubility: DMSO to 100 mM
Storage: Desiccate at +4°C

Batch Molecular Structure:

2. ANALYTICAL DATA

TLC: $R_f = 0.54$ (Ethyl acetate:Petroleum ether [1:1])

HPLC: Shows 99.3% purity

¹H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 59.69 5.51 6.96 Found 59.62 5.43 7.01



Product Information

Print Date: Jan 18th 2016

www.tocris.com

Product Name: SN-6 Catalog No.: 2184 Batch No.: 2

CAS Number: 415697-08-4

IUPAC Name: 2-[[4-[(4-Nitrophenyl)methoxy]phenyl]methyl]-4-thiazolidinecarboxylic acid ethyl ester

Description:

Selective Na⁺/Ca²⁺-exchange (NCX) inhibitor; displays some selectivity for NCX1. IC₅₀ values are 2.9, 16 and 8.6 μ M for inhibition of intracellular Na⁺-dependent ⁴⁵Ca²⁺ uptake by cells expressing NCX1, NCX2 and NCX3 respectively. Has some affinity for mACh receptors (IC₅₀ = 18 μ M) but minimal activity against NCKX2 and various receptors and ion channels (IC₅₀ > 30 μ M). Preferentially blocks Ca²⁺ influx mode and is more selective for NCX isoforms than KB-R7943 (Cat. No. 1244). Anti-ischemic; potently protects against hypoxia-induced renal tubular cell damage (IC₅₀ = 0.63 μ M).

Physical and Chemical Properties:

Batch Molecular Formula: C₂₀H₂₂N₂O₅S Batch Molecular Weight: 402.16 Physical Appearance: White solid

Minimum Purity: >99%

Batch Molecular Structure:

Storage: Desiccate at +4°C

Solubility & Usage Info:

DMSO to 100 mM

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

References:

Iwamoto *et al* (2004) The exchanger inhibitory peptide region-dependent inhibition of Na+/Ca²+ exchange by SN-6 [2-[4-(4-nitrobenzyloxy)benzyl]thiazolidine-4-carboxylic acid ethyl ester], a novel benzyloxyphenyl derivative. Mol.Pharmacol. *66* 45. PMID: 15213295.

Iwamoto (2004) Forefront of Na+/Ca²⁺ exchanger studies: molecular pharmacology of N+/Ca²⁺ exchange inhibitors. J.Pharmacol.Sci. *96* 27. PMID: 15359084.