

# **Certificate of Analysis**

Print Date: Jan 15th 2016

www.tocris.com

Product Name: YM 298198 hydrochloride Catalog No.: 2448 Batch No.: 1

CAS Number: 1216398-09-2

IUPAC Name: 6-Amino-*N*-cyclohexyl-N,3-dimethylthiazolo[3,2-a]benzimidazole-2-carboxamide hydrochloride

#### 1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C<sub>18</sub>H<sub>22</sub>N<sub>4</sub>OS.HCl.H<sub>2</sub>O

Batch Molecular Weight: 396.93

Physical Appearance: Cream solid

Solubility: water to 100 mM

Storage: Desiccate at +4°C

**Batch Molecular Structure:** 

#### 2. ANALYTICAL DATA

**TLC:**  $R_f = 0.4$  (Dichloromethane:Methanol [9:1])

HPLC: Shows >99.1% purity

<sup>1</sup>H NMR: Consistent with structure

Mass Spectrum: Consistent with structure

Microanalysis: Carbon Hydrogen Nitrogen

Theoretical 54.47 6.35 14.11 Found 54.15 6.01 13.83



# **Product Information**

Print Date: Jan 15<sup>th</sup> 2016

www.tocris.com

Product Name: YM 298198 hydrochloride Catalog No.: 2448 Batch No.: 1

CAS Number: 1216398-09-2

IUPAC Name: 6-Amino-N-cyclohexyl-N,3-dimethylthiazolo[3,2-a]benzimidazole-2-carboxamide hydrochloride

## **Description:**

Non-competitive antagonist with high affinity and selectivity for mGlu<sub>1</sub> receptors ( $K_i$  = 19 nM); inactive at other mGlu receptor subtypes (mGlu<sub>2-7</sub>), ionotropic receptors and glutamate transporters (IC<sub>50</sub> > 10 µM). Inhibits glutamate-induced IP production more potently than CPCCOEt (IC<sub>50</sub> values are 16 nM and 6.3 µM respectively), and is orally active in vivo, demonstrating an antinociceptive effect in hyperalgesic mice. Desmethyl derivative (Cat. No. 2447) also available.

#### **Physical and Chemical Properties:**

Batch Molecular Formula: C<sub>18</sub>H<sub>22</sub>N<sub>4</sub>OS.HCl.H<sub>2</sub>O

Batch Molecular Weight: 396.93 Physical Appearance: Cream solid

**Minimum Purity: >99%** 

## **Batch Molecular Structure:**

Storage: Desiccate at +4°C

#### Solubility & Usage Info:

water to 100 mM

#### Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Information concerning product stability, particularly in solution, has rarely been reported and in most cases we can only offer a general guide. Our standard recommendations are:

SOLIDS: Provided storage is as stated on the product label and the vial is kept tightly sealed, the product can be stored for up to 6 months from date of receipt.

SOLUTIONS: We recommend that stock solutions, once prepared, are stored aliquoted in tightly sealed vials at -20°C or below and used within 1 month. Wherever possible solutions should be made up and used on the same day.

#### References:

**Kohara** *et al* (2005) Radioligand binding properties and pharmacological characterization of 6-Amino-*N*-cyclohexyl-*N*,3-dimethyl-thiazolo [3,2-*a*]-benzimidazole-2-carboxamide (YM-298198), a high-affinity, selective and noncompetitive antagonist of metabotropic glutamate receptor type 1. J.Pharmacol.Exp.Ther. *315* 163. PMID: 15976016.

**Emery** *et al* (2010) The protective signaling of metabotropic glutamate receptor 1 is mediated by sustained,  $\beta$ -arrestin-1-dependent ERK phosphorylation. J.Biol.Chem. **285** 26041. PMID: 20566651.