



Certificate of Analysis

www.tocris.com

Product Name: CGP 42112 Catalog No.: 2569 Batch No.: 8

CAS Number: 127060-75-7

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: C₅₂H₆₉N₁₃O₁₁

Batch Molecular Weight: 1052.2

Physical Appearance: White lyophilised solid

Counter Ion: TFA

Solubility: Soluble to 1 mg/ml in water

Storage: Store at -20°C

Peptide Sequence: $N-\alpha$ -Nicotinoyl-Tyr-Lys-($N-\alpha$ -Z-Arg)-His-Pro-IIe

2. ANALYTICAL DATA

HPLC: Shows 98.2% purity

Mass Spectrum: Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid	Theoretical	Actual	Amino Acid	Theoretical	Actua
Ala			Lys	1.00	0.98
Arg	1.00	1.00	Met		
Asx			Phe		
Cys			Pro	1.00	1.01
Glx			Ser		
Gly			Thr		
His	1.00	0.99	Trp		
lle	1.00	1.02	Tyr	1.00	1.00
Leu			Val		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



Product Information

Print Date: Nov 1st 2024

www.tocris.com

Product Name: CGP 42112 Catalog No.: 2569 8

CAS Number: 127060-75-7

Description:

CGP 42112 is a selective, high affinity angiotensin AT_2 receptor ligand (K_i = 0.24 nM). Displays agonistic properties at proximal tubule AT_2 receptors, causes Na+, K+-ATPase inhibition and sodium excretion. Antagonizes Ang-II induced contractions in rabbit aortic rings (IC₅₀ = 1850 nM).

Physical and Chemical Properties:

Batch Molecular Formula: C₅₂H₆₉N₁₃O₁₁ Batch Molecular Weight: 1052.2

Physical Appearance: White lyophilised solid

Peptide Sequence:

 $N-\alpha$ -Nicotinoyl-Tyr-Lys-($N-\alpha$ -Z-Arg)-His-Pro-IIe

Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 1 mg/ml in water

This product is supplied in lyophilized form. It may appear as a solid, gel or film and be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Counter Ion: TFA

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 µm filter to remove potential bacterial contamination whenever possible.

References:

Hakam and Hussain (2006) Angiotensin II AT₂ receptors inhibit proximal tubular Na⁺-K⁺-ATPase activity via a NO/cGMP-dependent pathway. Am.J.Physiol.Renal Physiol. **290** F1430. PMID: 16380464.

Naveri (1995) The role of angiotensin receptor subtypes in cerebrovascular regulation in the rat. Acta.Physiol.Scand.Suppl. 630 1. PMID: 8610501.

Criscione et al (1990) Binding characteristics and vascular effects of various angiotensin II antagonists. J.Cardiovas.Pharmacol. 16 (Suppl. 4) S56.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use