TOCRIS a biotechne brand

Certificate of Analysis

www.tocris.com

Print Date: Jul 19th 2022

Product Name: [Arg⁸]-Vasopressin

CAS Number: 113-79-1

Catalog No.: 2935 Batch No.: 9 EC Number: 204-035-4

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula:	$C_{46}H_{65}N_{15}O_{12}S_2$
Batch Molecular Weight:	1084.23
Physical Appearance:	White lyophilised
Counter Ion:	Acetate
Solubility:	Soluble to 0.50 r
Storage:	Store at -20°C
Peptide Sequence:	

1084.23 White lyophilised solid Acetate Soluble to 0.50 mg/ml in water Store at -20°C Cys-Tyr-Phe-GIn-Asn-Cys-Pro-Arg-Gly-NH₂

2. ANALYTICAL DATA HPLC:

Mass Spectrum:

Shows 99.3% purity Consistent with structure

3. AMINO ACID ANALYSIS DATA

Amino Acid Theoretical Actual				Amino Acid Theoretical Actual		
	Ala			Lys		
	Arg	1.00	0.99	Met		
	Asx	1.00	1.04	Phe	1.00	1.01
	Cys	2.00	Detected	Pro	1.00	1.00
	Glx	1.00	1.01	Ser		
	Gly	1.00	0.99	Thr		
	His			Trp		
	lle			Tyr	1.00	0.97
	Leu			Val		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use



Print Date: Jul 19th 2022

Batch No.: 9

Product Name: [Arg⁸]-Vasopressin

CAS Number: 113-79-1

Description:

[Arg⁸]-Vasopressin is an antidiuretic hormone found in most mammalian species. Also acts as a neurotransmitter at synapses in the brain; increases $[Ca^{2+}]_i$ in cultured rat hippocampal neurons.

Physical and Chemical Properties:

Batch Molecular Formula: $C_{46}H_{65}N_{15}O_{12}S_2$ Batch Molecular Weight: 1084.23 Physical Appearance: White Iyophilised solid

Peptide Sequence:

Cys-Tyr-Phe-Gin-Asn-Cys-Pro-Arg-Gly-NH₂

www.tocris.com

EC Number: 204-035-4

Catalog No.: 2935

Storage: Store at -20°C

Solubility & Usage Info:

Soluble to 0.50 mg/ml in water

This product is supplied as a lyophilized solid and may be very hard to visualize. Solutions should be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has completely dissolved.

Counter Ion: Acetate

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

References:

Chan *et al* (2000) Discovery and design of novel and selective vasopressin and oxyt. agonists and antagonists: the role of bioassays. Exp.Physiol. **855** 7S.

Cowley et al (2000) Control of renal medulaary circulation by vasopressin V₁ and V₂ receptors in the rat. Exp.Physiol. 85S 223S.

Migara *et al* (1999) [Arg⁸]-vasopressin-induced increase in intracellular Ca2+ concentration in cultutred rat hippocampal neurons. Brain Res.Bull. **49** 343. PMID: 10452354.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

bio-techne.com	North America	China	Europe Middle East Africa	Rest of World
info@bio-techne.com techsupport@bio-techne.com	Tel: (800) 343 7475	info.cn@bio-techne.com Tel: +86 (21) 52380373	Tel: +44 (0)1235 529449	www.tocris.com/distributors Tel:+1 612 379 2956